



# Cjenik kabela i vodiča

Svibanj 2020.



**Telur d.o.o.**

Zagreb, Žitnjak b.b - tel/fax +385 (1) 2406 667;

e-mail: [info@telur.hr](mailto:info@telur.hr); web: [www.telur.hr](http://www.telur.hr)

## SADRŽAJ

### 1. INSTALACIJSKI KABELI I VODIČI

- P	(H07V-U)	3
- P / M	(H07V-R)	3
- P / F	(H07V-K)	3
- P / FT	(H07V2-K)	3
- PP (PGP)	(YM) (NYM)	3
- P / L	(H03VH-H)	4
- PP / L	(H03VV-F)	4
- PP / J	(H05VV-F)	4
- PP / R	(NYIFY)	5

### 2. ENERGETSKI KABELI

- PP00	(E-YY) (NYY)	6
- NYCY	(PP40)	7
- FG7OR		7
- FG16OR16		8
- PP00-A	(E-AYY) (NAYY)	9
- SKS	(X00-A) (Elkalex)	9

### 3. GUMOM IZOLIRANI KABELI

- H05RR-F	(GG/J)	10
- H07RN-F	(GN/J)	10
- H01N2-D	(KZS)	10

### 4. KABELI BEZ HALOGENA

- NHXH FE180/E30		11
- NHXH FE180/E90		11
- JE-H(St)H E30-E90		12

### 5. BAKRENO UŽE

	13
--	----

### 6. SILIKONOM IZOLIRANI KABELI I VODIČI

- SiF	13
- SiHF	13

### 7. POLIURETANOM IZOLIRANI KABELI

- H07BQ-F	14
-----------	----

### 8. SIGNALNI KABELI

- YSLY	15
- YSLCY	16

### 9. TELEKOMUNIKACIJSKI KABELI

- J-Y(St)Y	18
------------	----

### 10. VATRODOJAVNI KABELI

- JB-Y(St)Y	18
-------------	----

### 11. KABELI ZA ELEKTRONIKU

- LiYCY	19
- LiYCY-TP	20
- kabel za zvučnike	20

### 12. KOAKSIJALNI KABELI

- Koaksijalni kabeli	21
----------------------	----

### 13. KABELI ZA ALARM

- AF Type	21
-----------	----

### 14. KOMPJUTERSKI KABELI

- LAN kabel	21
-------------	----

## 1. INSTALACIJSKI KABELI I VODIČI

P (H07V-U)			PVC-om izolirani vodič - jednožični (puni)			
Br.	dimenzije mm <sup>2</sup>	CIJENA kn/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
1	1.5	0.90	100	2.6	14.4	18
2	2.5	1.48	100	3.0	24.0	29
3	4	2.52	100	3.9	38.4	45
4	6	3.78	100	4.1	57.6	63
5	10	6.44	100	5.3	96.0	106

P/M (H07V-R)			PVC-om izolirani vodič - višežični			
Br.	dimenzije mm <sup>2</sup>	CIJENA kn/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
6	10	6.35	100	5.8	96.0	110
7	16	10.22	100	6.3	153.6	170
8	25	15.46	razno	7.9	240.0	260
9	35	21.77	razno	8.5	336.0	370

P/F (H05V-K) (H07V-K)			PVC-om izolirani vodič - finožični			
Br.	dimenzije mm <sup>2</sup>	CIJENA kn/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
10	0.5	0.43	200	1.8	4.8	8
11	0.75	0.57	200	2.1	7.2	12
12	1	0.73	100/200	2.3	9.6	14
13	1.5	0.96	100	2.8	14.4	20
14	2.5	1.54	100	3.6	24.0	31
15	4	2.48	100	4.0	38.4	46
16	6	3.59	100	4.7	57.6	66
17	10	6.10	100	6.0	96.0	104
18	16	9.42	100	7.1	153.6	175
19	25	16.14	100, razno	9.0	240.0	280
20	35	22.74	razno	10.4	336.0	380
21	50	33.58	razno	11.8	480.0	550
22	70	48.03	razno	14.8	672.0	760
23	95	62.25	razno	16.4	912.0	1,020
24	120	79.96	razno	17.5	1,152.0	1,280
25	150	99.30	razno	19.0	1,440.0	1,600
26	185	128.25	razno	22.0	1,776.0	1,960
27	240	166.60	razno	27.0	2,304.0	2,550

P/FT (H07V2-K)			PVC-om izolirani vodič - finožični sa povećanim temperaturnim otporom, do 90°C			
Br.	dimenzije mm <sup>2</sup>	CIJENA kn/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
28	150	123.21	500	19.0	1,440.0	1,600

PGP (YM) (NYM)			PVC-om izolirani instalacijski kabel			
Br.	dimenzije mm <sup>2</sup>	CIJENA kn/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
29	2x1,5	2.86	100	7.0	28.8	91
30	3x1,5 (100m)	2.95	100	7.8	43.2	111
31	3x1,5 (500m)	2.99	500	7.8	43.2	111
32	3x2,5 (100m)	4.83	100	8.9	72.0	159

33	3x2,5 (500m)	4.92	500	8.9	72.0	159
34	3x4	9.30	500	10.0	115.2	225
35	4x1,5 (100m)	4.15	100	8.3	57.6	132
36	4x1,5 (500m)	4.24	500	8.6	57.6	132
37	4x2,5	6.75	100	10.3	96.0	208
38	4x4	10.93	500	11.0	153.6	283
39	4x6	15.42	500	14.0	230.4	407
40	4x10	29.93	500	17.3	384.0	665
41	5x1,5 (100m)	4.89	100	9.1	72.0	157
42	5x1,5 (500m)	5.06	500	9.1	72.0	157
43	5x2,5 (100m)	7.78	100	10.7	120.0	234
44	5x2,5 (500m)	7.87	500	10.7	120.0	234
45	5x4	13.43	500	12.4	192.0	330
46	5x6	19.00	500	14.2	288.0	453
47	5x10	32.60	500	18.1	480.0	752

P/L (H03VH-H)			PVC-om izolirani fleksibilni plosnati kabel			
Br.	dimenzije mm <sup>2</sup>	CIJENA kn/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
48	2x0,75	1.38	100	2,7 x 5,8	14.4	36

PP/L (H03VV-F)			PVC-om izoliran i oplašten laki finožični kabel			
Br.	dimenzije mm <sup>2</sup>	CIJENA kn/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
49	2x0,75	1.37	100	5.2	14.4	48
50	3x0,75	1.83	100	5.5	21.6	55
51	4x0,75	2.42	100	6.1	28.8	70
52	5x0,75	3.02	100	6.8	36.0	83

PP/J (H05VV-F)			PVC-om izoliran i oplašten finožični kabel			
Br.	dimenzije mm <sup>2</sup>	CIJENA kn/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
53	2x1	1.82	100	6.2	19.2	57
54	2x1,5	2.39	100	7.1	28.8	86
55	2x2,5	4.41	100	8.8	48.0	129
56	3x1	2.51	100	6.6	28.8	76
57	3x1,5	3.29	100	7.6	43.2	107
58	3x2,5	5.35	100	9.3	72.0	157
59	4x1	3.82	100	7.4	38.4	96
60	4x1,5	4.42	100	8.5	57.6	132
61	4x2,5	7.24	100	10.4	96.0	195
62	4x4	14.16	500	12	153.6	283
63	4x6	21.41	500	14.7	230.4	379
64	5x1	4.71	100	8.1	48.0	112
65	5x1,5	5.44	100	9.5	72.0	165
66	5x2,5	8.73	100	11.7	120.0	239
67	5x4	17.33	500	13.3	192.0	320
68	5x6	26.26	500	16.7	288.0	473
69	7x1,5	9.68	100	10.6	100.8	189

PP/R (NYIFY)			PVC-om izoliran i oplašten instalacijski plosnati kabel s razmaknutim žilama			
Br.	dimenzije mm <sup>2</sup>	CIJENA kn/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
70	3x1,5	3.31	100	4.4	43.2	85
71	3x2,5	5.25	100	5.2	72.0	125

## 2. ENERGETSKI KABELI

PP00 (NYY) (E-YY)			Energetski i signalni 0,6/1 kV kabel izoliran i oplašten PVC-om			
Br.	dimenzije mm <sup>2</sup>	CIJENA kn/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
72	1x16	11.43	500	9.5	153.6	219
73	1x25	17.25	500	11.5	240.0	327
74	1x35	23.26	500	12.6	336.0	435
75	1x50	32.17	500	14.9	480.0	576
76	1x70	45.23	500	17	762.0	793
77	1x95	60.58	500	19	912.0	1,069
78	1x120	75.78	500	20	1,152.0	1,320
79	1x150	93.30	500	22.5	1,440.0	1,616
80	1x185	120.71	500	24.6	1,776.0	1,995
81	1x240	156.99	500	27.7	2,304.0	2,593
82	1x300	200.19	500	30.3	2,880.0	3,163
83	2x1,5	3.31	500	8.7	28.8	119
84	2x2,5	4.71	500	9.9	48.0	157
		0.00				
85	3x1,5	3.60	500	9.2	43.2	142
86	3x2,5	5.47	500	10.4	72.0	188
87	3x4	10.26	500	12	115.2	267
88	3x6	14.36	500	13	172.8	346
89	3x10	23.56	500	15	288.0	508
		0.00				
90	4x1,5	4.79	500	10	57.6	168
91	4x2,5	7.21	500	11.1	96.0	222
92	4x4	11.59	500	13.3	153.6	336
93	4x6	16.55	500	14.2	230.4	427
94	4x10	26.76	500	18	384.0	642
95	4x16	42.35	500	20	614.4	978
96	4x25	67.08	500	25.1	960.0	1,486
97	4x35	90.09	500	25	1,344.0	1,685
98	4x50	123.47	500	29.3	1,920.0	2,230
99	4x70	173.03	500	33	2,688.0	2,999
100	4x95	238.73	500	38	3,648.0	4,145
101	4x120	298.55	500	41.5	4,608.0	5,054
102	4x150	371.51	500	45	5,760.0	6,280
103	4x185	486.10	500	49	7,104.0	7,656
104	4x240	640.63	500	58	9,216.0	10,172
105	5x1,5	5.68	500	11	72.0	199
106	5x2,5	8.78	500	12.2	120.0	259
107	5x4	14.07	500	25.5	192.0	395
108	5x6	20.33	500	15.4	288.0	497
109	5x10	33.04	500	18.5	480.0	770
110	5x16	52.85	500	22	768.0	1,183
111	5x25	83.83	500	28.7	1,200.0	1,803
112	5x35	115.51	500	31.5	1,680.0	2,320
113	7x1,5	9.89	500	14.1	100.8	300
114	10x1,5	15.65	500	17.2	144.0	360
115	12x1,5	17.27	500	17.7	172.8	400
116	14x1,5	22.12	500	18.5	201.6	450
117	16x1,5	26.37	500	19.4	230.4	500
118	19x1,5	27.57	500	20.3	273.6	560

119	24x1,5	35.28	500	22.9	345.6	700
120	7x2,5	15.69	500	15.9	168.0	420
121	10x2,5	26.34	500	19.6	240.0	500

NYCY (PP40)			Energetski i signalni 0,6/1 kV kabel izoliran i oplašten PVC-om, s koncentričnim zaštitnim Cu vodičem			
Br.	dimenzije mm <sup>2</sup>	CIJENA kn/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
122	2x1,5/1,5	7.06	razno	13	49.9	210
123	2x2,5/2,5	9.27	razno	14	76.8	260
124	2x4/4	14.07	razno	16	118.1	350
125	3x1,5/1,5	8.43	razno	14	63.4	220
126	3x2,5/2,5	11.26	razno	15	99.8	290
127	4x1,5/1,5	9.58	razno	14.2	77.8	250
128	4x2,5/2,5	13.09	razno	15.3	122.9	340
129	4x4/4	19.73	razno	17.3	192.0	460
130	4x6/6	27.23		18.4	285.1	580
131	4x10/10	48.70	razno	21	483.8	765
132	7x1,5/2,5	14.51	razno	15.3	127.7	350
133	12x1,5/2,5	22.45	razno	19.4	196.8	470

FG7OR			Energetski i signalni 0,6/1 kV fleksibilni kabel izoliran tvrdom EPM-gumom i oplašten PVC-om			
Br.	dimenzije mm <sup>2</sup>	CIJENA kn/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
134	1x25	17.16	razno	13.8	240.0	288
135	1x35	23.31	razno	15.1	336.0	383
136	1x50	32.74	razno	17.1	480.0	525
137	1x70	45.46	razno	19.6	672.0	765
138	1x95	59.43	razno	22.2	912.0	1,000
139	1x120	77.64	razno	24.2	1,152.0	1,230
140	1x150	95.95	razno	26.8	1,440.0	1,550
141	1x185	117.74	razno	29.1	1,776.0	1,880
142	1x240	154.70	razno	32.2	2,304.0	2,410
143	1x300	192.03	razno	35.4	2,880.0	3,000
144	2x1,5	3.65	razno	11.9	28.8	129
145	2x2,5	4.97	razno	12.7	48.0	163
146	3x1,5	4.49	razno	12.4	43.2	144
147	3x2,5	6.63	razno	13.3	72.0	187
148	3x4	9.67	razno	14.6	115.2	246
149	3x6	13.62	razno	16.8	172.8	331
150	3x10	22.84	razno	19.1	288.0	484
151	4x1,5	5.84	razno	13.2	57.6	167
152	4x2,5	8.46	razno	14.2	96.0	220
153	4x4	12.77	razno	16.1	153.6	306
154	4x6	18.10	razno	18.1	230.4	397
155	4x10	29.83	razno	21	384.0	600
156	4x16	44.95	razno	25.6	614.4	888
157	4x25	68.42	razno	29.6	960.0	1,310
158	3x35+1x25	88.95	razno	31.8	1,248.0	1,630
159	3x50+1x25	119.22	razno	35.9	1,680.0	2,110
160	3x70+1x35	165.82	razno	40.9	2,352.0	3,030

161	3x95+1x50	224.86	razno	44.6	3,216.0	3,910
162	3x120+1x70	293.84	razno	50.9	4,128.0	5,000
163	3x150+1x95	368.25	razno	56.3	5,232.0	6,340
164	5x1,5	7.19	razno	14.5	72.0	260
165	5x2,5	10.63	razno	15.6	120.0	368
166	5x4	15.52	razno	17.7	192.0	478
167	5x6	21.81	razno	19.9	288.0	740
168	5x10	35.72	razno	23.6	480.0	1,070
169	5x16	54.94	razno	27.6	768.0	1,620
170	5x25	84.18	razno	32.1	1,200.0	2,145
171	5x35	121.97	razno	36.1	1,680.0	3,000

FG16OR16			Energetski i signalni 0,6/1 kV fleksibilni kabel izoliran tvrdom EPM-gumom i oplašten PVC-om			
Br.	dimenzije mm <sup>2</sup>	CIJENA kn/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
172	1x25	18.48	razno	11.1	240.0	288
173	1x35	25.30	razno	12.1	336.0	383
174	1x50	35.49	razno	13.9	480.0	525
175	1x70	49.46	razno	16.1	672.0	765
176	1x95	63.32	razno	18	912.0	1,000
177	1x120	82.41	razno	19	1,152.0	1,230
178	1x150	103.72	razno	22.3	1,440.0	1,550
179	1x185	124.50	razno	23.6	1,776.0	1,880
180	1x240	163.57	razno	26.4	2,304.0	2,410
181	1x300	207.34	razno	31	2,880.0	3,000
182	1x400	288.56	razno	35.7	3,840.0	3,960
183	2 x 1,5	3.92	razno	9.6	28.8	129
184	2 x 2,5	5.56	razno	10.6	48.0	163
185	2 x 4	8.14	razno	11.4	76.8	211
186	2 x 6	11.26	razno	12.9	115.2	268
187	2 x 10	18.20	razno	14.6	192.0	401
188	2 x 16	27.78	razno	16.8	336.0	555
189	2 x 25	41.92	razno	20.3	480.0	865
190	3x1,5	4.74	razno	10	43.2	144
191	3x2,5	6.98	razno	11.1	72.0	187
192	3x4	10.59	razno	12	115.2	246
193	3x6	14.94	razno	13.6	172.8	331
194	3x10	24.19	razno	15.4	288.0	484
195	4x1,5	6.05	razno	11.4	57.6	167
196	4x2,5	8.84	razno	12	96.0	220
197	4x4	13.43	razno	13	153.6	306
198	4x6	19.01	razno	14.6	230.4	397
199	4x10	31.49	razno	16.8	384.0	600
200	4x16	46.32	razno	19.4	614.4	888
201	4x25	71.31	razno	23.6	960.0	1,310
202	3x35+1x25	94.69	razno	25.1	1,248.0	1,630
203	3x50+1x25	128.44	razno	29.6	1,680.0	2,110
204	3x70+1x35	178.35	razno	34.5	2,352.0	3,030
205	3x95+1x50	236.67	razno	38.9	3,216.0	3,910
206	3x120+1x70	313.36	razno	42	4,128.0	5,000
207	3x150+1x95	399.13	razno	49	5,232.0	6,340
208	5x1,5	7.45	razno	14.5	72.0	260
209	5x2,5	11.10	razno	15.6	120.0	368



210	5x4	16.63	razno	17.7	192.0	478
211	5x6	23.26	razno	19.9	288.0	740
212	5x10	37.26	razno	23.6	480.0	1,070
213	5x16	57.43	razno	27.6	768.0	1,620
214	5x25	91.43	razno	32.1	1,200.0	2,145
215	5x35	133.28	razno	36.1	1,680.0	3,000
216	7x1,5	12.79	razno	12.6	100.8	241

PP00-A (E-AYY) (NAYY)			Energetski 0,6/1 kV kabel izoliran i oplašten PVC-om, s Al vodičima			
Br.	dimenzije mm <sup>2</sup>	CIJENA kn/m	pakiranje m	promjer mm	Al kg/km	težina kg/km
217	4x16	10.91	razno	20.1	185.6	780
218	4x25	14.76	razno	25.3	290.0	890
219	4x35	19.26	razno	25.6	406.0	1,090
220	4x50	23.99	razno	28.4	580.0	1,150
221	4x70	31.86	razno	31.4	812.0	1,451
222	4x95	45.12	razno	36.9	1,102.0	1,967
223	4x120	53.05	razno	39.9	1,392.0	2,274
224	4x150	63.12	razno	46	1,740.0	2,910
225	4x185	78.06	razno	51,7	2,146.0	3,570
226	4x240	109.91	razno	57,9	2,784.0	4,380

NFA2X (Elkalex) (X00-A) (X00/0-A)			Samonosivi kabelski snop 0,6/1 kV s XLPE-izolacijom			
Br.	dimenzije mm <sup>2</sup>	CIJENA kn/m	pakiranje m	promjer mm	Al kg/km	težina kg/km
227	2x16	4.59	razno	15	93.0	137
228	4x16	9.06	razno	18	186.0	270

### 3. GUMOM IZOLIRANI KABELI

<b>HO5RR-F (GG/J)</b>			<b>Lakom gumom oplašten i izoliran fleksibilni kabel</b>			
<b>Br.</b>	<b>dimenzije mm<sup>2</sup></b>	<b>CIJENA kn/m</b>	<b>pakiranje m</b>	<b>promjer mm</b>	<b>Cu kg/km</b>	<b>težina kg/km</b>
229	2x1	3.05	100	7.7	18.2	71
230	2x1,5	4.23	100	8.5	28.8	110
231	3x1	3.84	100	8	30.0	83
232	3x1,5	5.15	100	9	43.2	125
233	3x2,5	7.83	100	11	72.0	180
234	4x1,5	6.88	100	10	57.6	160
235	4x2,5	10.65	100	12	96.0	240
236	5x1,5	8.50	100	11.5	72.0	195
237	5x2,5	13.06	100	13	120.0	290

<b>HO7RN-F (GN/J)</b>			<b>Teškom gumom oplašten i gumom izoliran fleksibilni kabel</b>			
<b>Br.</b>	<b>dimenzije mm<sup>2</sup></b>	<b>CIJENA kn/m</b>	<b>pakiranje m</b>	<b>promjer mm</b>	<b>Cu kg/km</b>	<b>težina kg/km</b>
238	2x1,5	4.83	100	9.5	28.8	130
239	3x1,5	5.63	100	10.5	43.2	150
240	3x2,5	8.46	100	12.5	72.0	220
241	4x1,5	7.19	100	11.5	57.6	190
242	4x2,5	11.00	100	14	96.0	280
243	4x4	16.42	500	16.5	153.6	390
244	4x6	23.03	500	17.5	230.4	520
245	4x10	40.52	500	24	384.0	950
246	4x16	60.16	500	27	614.4	1,400
247	5x1,5	8.97	100	12.5	72.0	230
248	5x2,5	13.31	100	15.5	120.0	340
249	5x4	20.80	500	17.5	192.0	470
250	5x6	28.22	500	19	288.0	640
251	5x10	51.89	500	26	480.0	1,150
252	5x16	76.51	500	30	768.0	1,700

<b>H01N2-D</b>			<b>Gumom oplašten jednožilni kabel za zavarivanje</b>			
<b>Br.</b>	<b>dimenzije mm<sup>2</sup></b>	<b>CIJENA kn/m</b>	<b>pakiranje m</b>	<b>promjer mm</b>	<b>Cu kg/km</b>	<b>težina kg/km</b>
253	16	18.51	razno	10	153.6	220
254	25	21.65	razno	11.5	240.0	300
255	35	26.28	razno	13	336.0	410
256	50	37.34	razno	15	480.0	560
257	70	54.30	razno	17	672.0	770
258	95	79.79	razno	19.5	912.0	1,050

#### 4. KABELI BEZ HALOGENA

NHXH FE180/E30			Bezhalogeni energetska i signalni 0,6/1 kV kabel, poboljšanih svojstava za slučaj požara, s očuvanom električnom funkcionalnošću 30 minuta			
Br.	dimenzije mm <sup>2</sup>	CIJENA kn/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
259	1x16	18.58	razno	10	153.6	230
260	1x25	26.86	razno	11	240.0	340
261	1x35	34.45	razno	12	336.0	440
262	1x50	44.99	razno	14	480.0	620
263	1x70	60.76	razno	16	762.0	850
264	1x95	80.97	razno	18	912.0	1,100
265	1x120	99.09	razno	19	1,152.0	1,350
266	1x150	118.12	razno	22	1,440.0	1,650
267	1x185	143.94	razno	24	1,776.0	2,100
268	1x240	191.96	razno	27	2,304.0	2,540
269	2x1,5	9.22	razno	12	28.8	200
270	2x2,5	11.76	razno	13	48.0	220
271	2x4	15.00	razno	14	76.8	270
272	2x6	21.14	razno	15	115.2	380
273	2x10	32.98	razno	17	192.0	490
274	3x1,5	10.09	razno	13	43.2	210
275	3x2,5	13.37	razno	13.5	72.0	230
276	3x4	19.67	razno	15	115.2	300
277	3x6	26.41	razno	16	172.8	380
278	3x10	38.91	razno	18	288.0	500
279	4x1,5	13.07	razno	14	57.6	280
280	4x2,5	17.00	razno	15	96.0	350
281	4x4	24.88	razno	17	153.6	440
282	4x6	32.59	razno	18	230.4	560
283	4x10	49.21	razno	20	384.0	760
284	4x16	70.01	razno	23	614.4	1,100
285	4x25	103.50	razno	26	960.0	1,600
286	4x35	136.25	razno	32	1,344.0	2,100
287	4x50	188.08	razno	33	1,920.0	2,900
288	4x70	256.51	razno	37	2,688.0	3,900
289	4x95	327.20	razno	43	3,648.0	5,200
290	4x120	459.92	razno	47	4,608.0	6,300
291	4x150	593.02	razno	49	5,760.0	6,450
292	5x1,5	17.42	razno	15	72.0	330
293	5x2,5	21.96	razno	17	120.0	410
294	5x4	31.81	razno	18	192.0	520
295	5x6	39.15	razno	20	288.0	660
296	5x10	60.52	razno	21	480.0	950
297	5x16	96.61	razno	23	768.0	1,300

NHXH FE180/E90			Bezhalogeni energetska i signalni 0,6/1 kV kabel, poboljšanih svojstava za slučaj požara, s očuvanom električnom funkcionalnošću 90 minuta			
Br.	dimenzije mm <sup>2</sup>	CIJENA kn/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
298	1x16	16.42	razno	11	153.6	230
299	1x25	24.35	razno	13	240.0	340
300	1x35	36.13	razno	14	336.0	440

301	1x50	47.57	razno	16	480.0	620
302	1x70	65.12	razno	18	762.0	850
303	1x95	88.45	razno	20	912.0	1,100
304	1x120	107.25	razno	21	1,152.0	1,350
305	1x150	128.43	razno	24	1,440.0	1,650
306	1x185	162.29	razno	26	1,776.0	2,100
307	1x240	207.25	razno	29	2,304.0	2,600
308	2x1,5	10.93	razno	14	28.8	210
309	2x2,5	13.02	razno	14	48.0	250
310	2x4	19.48	razno	16	76.8	310
311	2x6	26.39	razno	17	115.2	380
312	2x10	40.09	razno	19	192.0	510
313	3x1,5	12.54	razno	15	43.2	240
314	3x2,5	15.87	razno	15	72.0	290
315	3x4	21.75	razno	17	115.2	360
316	3x6	27.41	razno	18	172.8	450
317	3x10	38.96	razno	20	288.0	620
318	4x1,5	16.31	razno	16	57.6	280
319	4x2,5	20.53	razno	17	96.0	350
320	4x4	26.08	razno	19	153.6	440
321	4x6	33.07	razno	20	230.4	560
322	4x10	50.01	razno	22	384.0	760
323	4x16	69.44	razno	25	614.4	1,100
324	4x25	100.88	razno	30	960.0	1,600
325	4x35	138.62	razno	32	1,344.0	2,100
326	4x50	192.30	razno	37	1,920.0	2,900
327	4x70	266.08	razno	41	2,688.0	3,900
328	4x95	332.43	razno	47	3,648.0	5,200
329	4x120	423.80	razno	49	4,608.0	6,300
330	4x150	542.52	razno	51	5,760.0	6,450
331	5x1,5	19.53	razno	17	72.0	330
332	5x2,5	23.86	razno	19	120.0	410
333	5x4	28.41	razno	20	192.0	520
334	5x6	36.94	razno	22	288.0	660
335	5x10	60.46	razno	24	480.0	950
336	5x16	84.29	razno	27	768.0	1,300
337	5x25	121.78	razno	32	2,400.0	2,000

JE-H(St)H E30-E90			Bezhalogeni instalacijski kabel za industrijsku elektroniku, poboljšanih svojstava za slučaj požara, s očuvanom el. funkcionalnošću između 30 i 90 minuta			
Br.	dimenzije mm <sup>2</sup>	CIJENA kn/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
338	1x2x0,8	4.33	razno	5.5	14.0	40
339	2x2x0,8	6.85	razno	6	21.0	56

## 5. BAKRENO UŽE

BAKRENO UŽE						
Br.	dimenzije mm <sup>2</sup>	CIJENA kn/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
340	16	10.78	razno	4.7	140.0	140
341	25	16.86	razno	6	219.0	219
342	35	22.32	razno	6.9	304.0	304
343	50	31.99	razno	8.2	420.0	420
344	70	45.32	razno	9.8	600.0	600
345	95	61.82	razno	11.6	828.0	828
346	120	78.84	razno	13.1	1,053.0	1,053

## 6. SILIKONOM IZOLIRANI KABELI I VODIČI

SiF (H05S-K)			Silikonom gumom izoliran finožični vodič otporan na temp. od -60 do +180°C, kratkotrajno do 250°C			
Br.	dimenzije mm <sup>2</sup>	CIJENA kn/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
347	0.5	0.80	100	1.8	4.8	8
348	0.75	1.07	100	2	7.7	10
349	1	1.30	100	2.2	9.6	13
350	1.5	1.78	100	2.6	14.4	20
351	2.5	2.89	100	3.2	24.0	32
352	4	4.69	100	3.7	38.4	48
353	6	6.99	100	4.2	57.6	68

SiHF (H05SS-F)			Silikonom gumom izoliran i oplašten finožični kabel otporan na temp. od -60 do +180°C, kratkotrajno do 250°C			
Br.	dimenzije mm <sup>2</sup>	CIJENA kn/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
354	2x0,75	4.27	100	6.4	14.4	57
355	2x1,5	6.72	100	7.6	28.8	81
356	3x0,75	5.85	100	6.8	22.1	67
357	3x1	6.94	100	7	28.8	82
358	3x1,5	9.31	100	8	43.2	83
359	3x2,5	14.57	100	9.7	72.0	125
360	4x1,5	11.84	100	8.8	57.6	120
361	4x2,5	18.38	100	10.6	96.0	180
362	5x1,5	16.48	100	9.6	72.0	145
363	5x2,5	25.00	100	11.6	120.0	270
364	7x1,5	24.22	100	11	100.8	200

## 7. POLIURETANOM IZOLIRANI KABELI

<b>H07BQ-F (NGMH11Yö)</b>			<b>Poliuretanom oplašten fleksibilni energetski kabel za gradilišta</b>			
<b>Br.</b>	<b>dimenzije mm<sup>2</sup></b>	<b>CIJENA kn/m</b>	<b>pakiranje m</b>	<b>promjer mm</b>	<b>Cu kg/km</b>	<b>težina kg/km</b>
365	2x1,5	6.38	100	8.2	28.8	86
366	3x1,5	7.57	100	8.8	43.2	108
367	3x2,5	11.22	100	10.2	72.0	155
368	3x4	18.05	razno	11.9	115.2	221
369	4x1,5	9.79	100	9.7	57.6	136
370	4x2,5	14.85	100	11.5	96.0	201
371	5x1,5	11.84	100	10.7	72.0	169
372	5x2,5	17.91	100	12.8	120.0	252
373	5x4	25.99	razno	14.9	192.0	359
374	5x6	35.59	razno	16.9	288.0	490

## 8. SIGNALNI KABELI

YSLY			Signalni fleksibilni kabel izoliran i oplašten PVC-om			
Br.	dimenzije mm <sup>2</sup>	CIJENA kn/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
375	2x0,5	1.52	razno	4.8	9.6	36
376	3x0,5	1.77	razno	5	14.4	42
377	4x0,5	2.26	razno	5.7	19.2	55
378	5x0,5	2.67	razno	6.2	24.0	65
379	7x0,5	3.88	razno	6.7	33.6	81
380	10x0,5	5.81	razno	8.8	48.0	129
381	12x0,5	6.74	razno	9	57.6	142
382	14x0,5	7.89	razno	9.5	67.2	158
383	16x0,5	9.34	razno	10	76.8	176
384	21x0,5	12.38	razno	11.3	100.8	229
385	25x0,5	14.40	razno	12.9	120.0	284
386	30x0,5	16.72	razno	13.5	144.0	330
387	2x0,75	1.72	razno	5.2	14.4	44
388	3x0,75	2.23	razno	5.4	21.6	53
389	4x0,75	2.88	razno	6.2	28.8	68
390	5x0,75	3.50	razno	6.8	36.0	83
391	6x0,75	4.97	razno	7	43.2	99
391	7x0,75	4.78	razno	7.3	50.4	104
392	10x0,75	7.35	razno	9.6	72.0	165
393	12x0,75	8.63	razno	9.9	86.4	183
394	16x0,75	12.68	razno	11.4	115.2	240
395	21x0,75	15.77	razno	12.8	151.2	303
396	25x0,75	18.54	razno	14.3	180.0	376
397	34x0,75	25.23	razno	16.3	244.8	496
398	2x1	2.14	razno	5.5	19.2	51
399	3x1	3.00	razno	5.9	28.8	64
400	4x1	3.80	razno	6.5	38.4	80
401	5x1	4.78	razno	7.2	48.0	99
402	7x1	6.73	razno	8	67.2	70
403	10x1	9.97	razno	11.5	96.0	100
404	12x1	11.85	razno	10.8	115.2	120
405	14x1	13.76	razno	11.3	134.4	249
406	16x1	14.71	razno	12	153.6	286
407	18x1	16.36	razno	12.7	172.8	316
407	21x1	20.98	razno	13.6	201.6	369
408	25x1	22.78	razno	14.5	240.0	456
409	34x1	33.04	razno	17.4	326.4	591
410	2x1,5	2.92	razno	6.3	28.8	69
411	3x1,5	3.80	razno	6.6	43.2	84
412	4x1,5	4.97	razno	7.3	57.6	105
413	5x1,5	6.21	razno	8.2	72.0	132
414	6x1,5	8.74	razno	8.5	72.0	158
414	7x1,5	8.05	razno	8.9	100.8	168
415	10x1,5	13.21	razno	11.6	144.0	263
416	12x1,5	14.07	razno	12	172.8	294
417	14x1,5	19.35	razno	12.8	201.6	336
418	16x1,5	21.04	razno	13.5	230.4	377
419	18x1,5	24.23	razno	14.4	230.4	426
419	21x1,5	28.75	razno	15.2	302.4	488
420	25x1,5	33.07	razno	17.5	360.0	612

420	32x1,5	47.60	razno	18.5	360.0	700
421	34x1,5	45.70	razno	19.7	360.0	795
422	2x2,5	4.67	razno	7.6	48.0	106
423	3x2,5	6.19	razno	8.1	72.0	132
424	4x2,5	8.25	razno	9	96.0	167
425	5x2,5	10.12	razno	10.1	120.0	211
426	7x2,5	14.18	razno	11.2	168.0	273
427	12x2,5	21.15	razno	15.1	288.0	475
428	3x4	10.88	razno	9.9	115.2	205
429	4x4	14.32	razno	11.2	153.6	263
430	5x4	17.63	razno	12.6	192.0	332
431	4x6	18.96	razno	12.6	230.4	358
432	5x6	25.32	razno	14.1	288.0	453
433	4x10	35.43	razno	16.5	384.0	620
434	5x10	43.52	razno	18.4	480.0	778

YSLCY			Signalni fleksibilni kabel izoliran PVC-om, sa Cu zaslonom i PVC plaštom			
Br.	dimenzije mm <sup>2</sup>	CIJENA kn/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
435	2x0,75	3.96	razno	8.5	41.3	55
436	3x0,75	5.11	razno	9	49.9	65
437	4x0,75	6.01	razno	9.5	58.6	80
438	5x0,75	7.90	razno	10.5	69.1	95
439	7x0,75	10.15	razno	11.5	96.0	120
440	12x0,75	15.84	razno	11.5	132.5	190
441	16x0,75	21.81	razno	11.5	167.0	245
441	25x0,75	30.81	razno	19.5	268.8	380
442	34x0,75	43.02	razno	22	342.7	740
443	2x1	4.65	razno	9	49.0	120
444	3x1	5.83	razno	9.5	59.5	140
445	4x1	7.68	razno	10	71.0	160
446	5x1	9.34	razno	11	84.5	190
447	7x1	11.14	razno	11.5	107.5	220
448	10x1	13.53	razno	14	145.9	310
449	12x1	19.53	razno	14.5	167.0	340
450	14x1	21.43	razno	16	208.3	400
451	18x1	28.63	razno	17.5	257.3	500
452	25x1	37.26	razno	21	339.8	680
453	34x1	54.35	razno	23.5	439.7	870
454	2x1,5	5.97	razno	10	62.4	150
455	3x1,5	7.66	razno	10.5	78.7	170
456	4x1,5	9.60	razno	11	96.0	200
457	5x1,5	12.29	razno	12	114.2	230
458	7x1,5	16.02	razno	14	165.1	330
459	12x1,5	26.07	razno	17.5	257.3	460
460	18x1,5	37.81	razno	20	358.1	660
461	25x1,5	49.11	razno	24.5	508.8	940
462	34x1,5	74.99	razno	26.5	658.6	1,190
463	2x2,5	9.00	razno	11	88.3	200
464	3x2,5	12.46	razno	11.5	114.2	230
465	4x2,5	14.79	razno	12.5	143.0	270
466	5x2,5	18.63	razno	13.5	171.8	320



467	<b>7x2,5</b>	<b>24.99</b>	razno	15.5	243.8	410
468	<b>12x2,5</b>	<b>38.69</b>	razno	17.4	390.7	410
469	<b>4x4</b>	<b>22.49</b>	razno	15	229.4	410
470	<b>5x4</b>	<b>28.53</b>	razno	16.5	276.5	480
		<b>0.00</b>				
471	<b>4x6</b>	<b>32.78</b>	razno	17.5	320.6	560
472	<b>5x6</b>	<b>37.87</b>	razno	19	386.9	650
473	<b>4x10</b>	<b>53.10</b>	razno	22.5	497.3	920
474	<b>5x10</b>	<b>66.62</b>	razno	25	635.5	1,150
475	<b>4x16</b>	<b>82.02</b>	razno	24	776.6	1,220
476	<b>5x16</b>	<b>96.98</b>	razno	26.5	950.4	1,470

## **9. TELEKOMUNIKACIJSKI KABELI**

<b>J-Y(St)Y</b>			Telekomunikacijski instalacijski kabel s izolacijom i plaštom od PVC-a i zaslonom od Al-folije			
<b>Br.</b>	<b>dimenzije mm<sup>2</sup></b>	<b>CIJENA kn/m</b>	<b>pakiranje m</b>	<b>promjer mm</b>	<b>Cu kg/km</b>	<b>težina kg/km</b>
477	1x2x0,6	1.00	razno	5	7.0	30
478	2x2x0,6	1.37	razno	5.5	13.0	40
479	3x2x0,6	2.04	razno	6.3	18.0	50
480	4x2x0,6	2.51	razno	6.8	24.0	60
481	5x2x0,6	3.15	razno	7.2	30.0	70
482	6x2x0,6	3.56	razno	7.5	35.0	80
483	10x2x0,6	5.37	razno	9	58.0	110
484	20x2x0,6	10.49	razno	11	116.0	190
485	30x2x0,6	15.46	razno	13	172.0	280
486	50x2x0,6	25.76	razno	17	286.0	440
487	100x2x0,6	50.93	razno	23	568.0	850
488	1x2x0,8	1.36	razno	6	11.0	40
489	2x2x0,8	2.11	razno	7	21.0	60
490	3x2x0,8	3.26	razno	8.5	31.0	80
491	4x2x0,8	3.99	razno	9	41.0	100
492	5x2x0,8	5.19	razno	9.5	52.0	120
493	6x2x0,8	6.00	razno	10.5	62.0	140
494	10x2x0,8	9.55	razno	13	102.0	210
495	20x2x0,8	18.71	razno	16.5	204.0	380
496	30x2x0,8	28.69	razno	20	304.0	550

## **10. VATRODOJAVNI KABELI**

<b>JB-Y(St)Y</b>			Vatrodjavni instalacijski kabel s izolacijom i plaštom od PVC-a i zaslonom od Al-folije			
<b>Br.</b>	<b>dimenzije mm<sup>2</sup></b>	<b>CIJENA kn/m</b>	<b>pakiranje m</b>	<b>promjer mm</b>	<b>Cu kg/km</b>	<b>težina kg/km</b>
497	1x2x0,8	1.37	razno	6	11.0	40
498	2x2x0,8	2.13	razno	7	21.0	60
499	4x2x0,8	4.70	razno	8.5	31.0	80

## 11. KABELI ZA ELEKTRONIKU

LiYCY			Elektronički fleksibilni kabel izoliran i oplašten PVC-om, s Cu opletom			
Br.	dimenzije mm <sup>2</sup>	CIJENA kn/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
500	2x0,25	2.10	razno	3,7	15.0	25
501	3x0,25	2.96	razno	4,1	18.0	32
502	4x0,25	3.64	razno	4,7	22.0	40
503	5x0,25	4.22	razno	5,0	26.0	47
504	6x0,25	4.74	razno	5,2	30.0	54
505	7x0,25	5.16	razno	5,4	35.0	56
506	8x0,25	5.84	razno	6,0	36.0	67
507	10x0,25	6.79	razno	6,5	44.0	80
508	2x0,34	2.66	razno	4,6	18.0	33
509	3x0,34	3.54	razno	5,0	22.0	41
510	4x0,34	4.44	razno	5,4	26.0	54
511	5x0,34	5.12	razno	5,8	32.0	60
512	6x0,34	6.40	razno	6,6	45.0	61
513	7x0,34	6.44	razno	6,5	40.0	70
514	8x0,34	7.53	razno	7,2	45.0	90
515	10x0,34	9.14	razno	8,0	66.0	113
516	2x0,50	3.09	razno	5,1	24.0	43
517	3x0,50	4.46	razno	5,4	32.0	54
518	4x0,50	5.21	razno	6,1	37.0	64
519	5x0,50	6.26	razno	6,7	55.0	84
520	7x0,50	7.91	razno	7,2	68.0	102
521	10x0,50	11.29	razno	8,6	93.0	137
522	12x0,50	12.76	razno	9,5	117.0	157
523	20x0,50	20.69	razno	11,6	165.0	258
524	2x0,75	3.55	razno	5,4	32.0	53
525	3x0,75	4.40	razno	5,8	40.0	66
526	4x0,75	5.38	razno	6,4	60.0	78
527	5x0,75	6.77	razno	7,1	72.0	99
528	7x0,75	9.02	razno	7,9	92.0	129
529	8x0,75	10.88	razno	8,6	104.0	145
530	10x0,75	13.94	razno	11,7	140.0	180
531	12x0,75	15.93	razno	12	154.0	202
532	2x1,0	4.74	razno	6,0	50.0	63
533	3x1,0	6.05	razno	6,4	60.0	82
534	4x1,0	7.57	razno	6,9	74.0	97
535	5x1,0	9.36	razno	7,8	89.0	121
536	7x1,0	12.02	razno	9,2	118.0	158
537	8x1,0	13.69	razno	10,5	130.0	197
538	10x1,0	17.22	razno	11,5	145.0	232
539	12x1,0	20.26	razno	12	168.0	260
540	2x1,5	5.91	razno	7,1	57.0	84
541	3x1,5	7.64	razno	7,5	74.0	106
542	4x1,5	9.31	razno	8,4	92.0	136
543	5x1,5	11.61	razno	9,5	111.0	178
544	7x1,5	16.26	razno	10,8	164.0	208

LiYCY-TP			Elektronički fleksibilni kabel izoliran i oplašten PVC-om, s Cu opletom, s uvijenim paricama			
Br.	dimenzije mm <sup>2</sup>	CIJENA kn/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
545	2x2x0,25	3.99	razno	5,1	28.0	44
546	3x2x0,25	4.89	razno	5,7	44.0	56
547	4x2x0,25	5.75	razno	6,6	57.0	71
548	5x2x0,25	6.89	razno	7,4	63.0	82
549	8x2x0,25	9.92	razno	9,0	86.0	124
			razno			
550	2x2x0,34	4.72	razno	6,6	45.0	66
551	3x2x0,34	6.40	razno	7,5	54.0	80
552	4x2x0,34	7.81	razno	8,5	67.0	101
			razno			
553	2x2x0,5	6.34	razno	7,2	52.0	79
554	3x2x0,5	7.88	razno	8,6	67.0	106
555	4x2x0,5	9.86	razno	9,3	83.0	126
556	6x2x0,5	13.89	razno	12	112.0	186
557	8x2x0,5	17.19	razno	13,2	132.0	232
558	12x2x0,5	24.89	razno	15,4	196.0	313
			razno			
559	2x2x0,75	6.77	razno	7,7	68.0	96
560	3x2x0,75	10.18	razno	9,3	85.0	132
561	4x2x0,75	12.33	razno	9,8	124.0	164
562	5x2x0,75	14.99	razno	11,4	140.0	180
563	6x2x0,75	19.07	razno	11,6	145.0	251

Kabel za zvučnike (LZF-XY) (Li-YZ)						
Br.	dimenzije mm <sup>2</sup>	CIJENA kn/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
564	2x0,5 crv/crn	1.07	100	2,4x4,8	9.6	21
565	2x0,75 crv/crn	1.51	100	2,5x5,0	14.4	22
566	2x1 crv/crn	1.93	100	2,6x5,2	19.2	28
567	2x1,5 crv/crn	2.75	100	2,7x5,6	28.8	37
564	2x2,5 crv/crn	4.65	100	3,5x7,0	48.0	60
568	2x4 crv/crn	7.25	100	4,5x9,7	76.8	110
			100			
569	2x1 transp.	2.29	100	2,5x5,0	19.2	29
568	2x1,5 transp.	3.28	100	2,7x5,6	28.8	41
570	2x2,5 transp.	5.72	100	3,5x7,0	48.0	61

## 12. KOAKSIJALNI KABELI

Koaksijalni kabeli					
Br.	dimenzije mm <sup>2</sup>	CIJENA kn/m	pakiranje m	promjer mm	proizvod
571	RG 6 75Ω	0.97	100	6.9	
572	RG 59 75Ω MIL C17	2.36	razno	6.2	
573	SAT 75Ω 6,8mm CL.A	2.92	razno	6.8	
574	SAT 75Ω 5mm CL.A	2.01	razno	5	

## 13. KABELI ZA ALARM

AF Type						
Br.	dimenzije mm <sup>2</sup>	CIJENA kn/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
575	4 AF22	1.08	100	3.6	8.5	21
576	6 AF 22	1.38	100	4.1	12.7	26
577	8 AF 22	1.97	100	4.5	16.9	33
578	12 AF 22	2.70	100	5.35	25.3	45
579	4 AF 22 + 2x0,5	2.12	100	4.65	18.1	35
580	6 AF 22 + 2x0,75	2.67	100	5.35	27.1	50
581	12 AF 22 + 2x0,75	4.26	100	6.3	39.7	66

## 14. KOMPJUTERSKI KABELI

LAN Kabeli						
Br.	dimenzije mm <sup>2</sup>	CIJENA kn/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
582	Cat.5e UTP PVC	1.77	305, 500	5	16.9	35
583	Cat.5e UTP LSNH	1.90	500, 1000	5	16.9	35
584	Cat.5e F/UTP PVC	2.27	500, 1000	5.9	19.0	36
585	Cat.5e F/UTP LSNH	2.72	500, 1000	5.9	19.0	36
586	Cat.5e SF/UTP LSNH	7.35	500, 1000	6.4	24.2	46
587	Cat.6 U/UTP PVC	2.36	305, 500	6.2	26.9	39
588	Cat.6 U/UTP LSNH	2.60	500, 1000	6.2	26.9	39
582	Cat.6 F/UTP PVC	3.32	500, 1000	6.5	30.2	44
589	Cat.6 F/UTP LSNH	3.50	500, 1000	6.5	30.2	44
590	Cat.7 S/FTP LSZH	4.82	500, 1000	7.5	44.0	75
591	Cat.7a S/FTP 1.2GHz	5.54	500, 1000	8.2	44.0	66

**OPĆI UVJETI PRODAJE:**

<b>CIJENE:</b>	- bez PDV-a, na bazi tečaja	EUR =	7.55 kn
	- promjenjive u slučaju promjene tečaja za više od 2%		
<b>PARITET:</b>	- FCO - utovareno, skladište " Telur"		
<b>ISPORUKA:</b>	- odmah, ili po dogovoru, ovisno o količini i stanju na skladištu		
<b>PLAĆANJE:</b>	- po dogovoru		

**Kontakt:**

Centrala	Žitnjak bb	+385 (0) 1 240 66 77
Prodavaonica 1	Av.Dubrava	+385 (0) 1 2862 232
Prodavaonica 2	Vinkovci	+385 (0) 32 308 608
Prodavaonica 3	Rijeka	+385 (0) 51 626 383
Prodavaonica 4	Osijek	+385 (0) 31 531 036
Prodavaonica 5	Ludbg	+385 (0) 42 810 377
Prodavaonica 7	Karlovac	+385 (0) 47 645 321
Prodavaonica 8	Đakovo	+385 (0) 95 1989 314
Prodavaonica 9	Poreć	+385 (0) 52 422 289

**NAPOMENA:**Svi kabele i vodiči su atestirani po propisima Republike Hrvatske