



Cjenik kabela i vodiča

01. RUJAN 2023.

**CJENIK JE VEZAN UZ CIJENU Cu/AL PREMA LME (London Metal Exchange) I
CJENIK JE VAŽEĆI NA DAN 01. RUJNA 2023. I PODLOŽAN JE PROMJENI**



Telur d.o.o.

Zagreb, Žitnjak b.b - tel/fax +385 (1) 2406 667;

e-mail: info@telur.hr; web: www.telur.hr

SADRŽAJ

1. INSTALACIJSKI KABELE I VODIČI

- P	(H07V-U)	3
- P / M	(H07V-R)	3
- P / F	(H07V-K)	3
- P / FT	(H07V2-K)	3
- PP (PGP)	(YM) (NYM)	3
- P / L	(H03VH-H)	4
- PP / L	(H03VV-F)	4
- PP / J	(H05VV-F)	4
- PP / R	(NYIFY)	5

2. ENERGETSKI KABELE

- PP00	(E-YY) (NYY)	6
- NYCY	(PP40)	7
- FG7OR		7
- FG16OR16		8
- PP00-A	(E-AYY) (NAYY)	9
- SKS	(X00-A) (Elkalex)	9

3. GUMOM IZOLIRANI KABELE

- H05RR-F	(GG/J)	10
- H07RN-F	(GN/J)	10
- H01N2-D	(KZS)	10

4. KABELE BEZ HALOGENA

- NHXH FE180/E30		11
- NHXH FE180/E90		11
- JE-H(St)H E30-E90		12

5. BAKRENO UŽE

	13
--	----

6. SILIKONOM IZOLIRANI KABELE I VODIČI

- SiF	13
- SiHF	13

7. POLIURETANOM IZOLIRANI KABELE

- H07BQ-F	14
-----------	----

8. SIGNALNI KABELE

- YSLY	15
- YSLCY	16

9. TELEKOMUNIKACIJSKI KABELE

- J-Y(St)Y	18
------------	----

10. VATRODOJAVNI KABELE

- JB-Y(St)Y	18
-------------	----

11. KABELE ZA ELEKTRONIKU

- LiYCY	19
- LiYCY-TP	20
- kabel za zvučnike	20

12. KOAKSIJALNI KABELE

- Koaksijalni kabeli	21
----------------------	----

13. KABELE ZA ALARM

- AF Type	21
-----------	----

14. KOMPJUTERSKI KABELE

- LAN kabel	21
-------------	----

1. INSTALACIJSKI KABELE I VODIČI

P (H07V-U)			PVC-om izolirani vodič - jednožični (puni)			
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
1	1,5	0,2163	100	2,6	14,4	18
2	2,5	0,3483	100	3,0	24,0	29
3	4	0,6391	100	3,9	38,4	45
4	6	0,9404	100	4,1	57,6	63
5	10	1,4445	100	5,3	96,0	106

P/M (H07V-R)			PVC-om izolirani vodič - višezični			
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
6	10	1,6080	100	5,8	96,0	110
7	16	2,7534	100	6,3	153,6	170
8	25	4,6096	razno	7,9	240,0	260
9	35	6,2195	razno	8,5	336,0	370

P/F (H05V-K) (H07V-K)			PVC-om izolirani vodič - finožični			
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
10	0,5	0,1062	200	1,8	4,8	8
11	0,75	0,1290	200	2,1	7,2	12
12	1	0,1654	100/200	2,3	9,6	14
13	1,5	0,2298	100	2,8	14,4	20
14	2,5	0,3691	100	3,6	24,0	31
15	4	0,5821	100	4,0	38,4	46
16	6	0,8517	100	4,7	57,6	66
17	10	1,4391	100	6,0	96,0	104
18	16	2,2996	100	7,1	153,6	175
19	25	3,6039	100, razno	9,0	240,0	280
20	35	5,0172	razno	10,4	336,0	380
21	50	7,4274	razno	11,8	480,0	550
22	70	10,6564	razno	14,8	672,0	760
23	95	13,7673	razno	16,4	912,0	1.020
24	120	17,5226	razno	17,5	1.152,0	1.280
25	150	21,8056	razno	19,0	1.440,0	1.600
26	185	26,7719	razno	22,0	1.776,0	1.960
27	240	35,4296	razno	27,0	2.304,0	2.550

P/FT (H07V2-K)			PVC-om izolirani vodič - finožični sa povećanim temperaturnim otporom, do 90°C			
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
28	150	27,7847	500	19,0	1.440,0	1.600

PGP (YM) (NYM)			PVC-om izolirani instalacijski kabel			
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
29	2x1,5	0,6142	100	7,0	28,8	91
30	3x1,5 (100m)	0,6849	100	7,8	43,2	111
31	3x1,5 (500m)	0,7205	500	7,8	43,2	111
32	3x2,5 (100m)	1,1198	100	8,9	72,0	159

33	3x2,5 (500m)	1,1263	500	8,9	72,0	159
34	3x4	2,1053	500	10,0	115,2	225
35	4x1,5 (100m)	0,9998	100	8,3	57,6	132
36	4x1,5 (500m)	1,0219	500	8,6	57,6	132
37	4x2,5	1,5551	100	10,3	96,0	208
38	4x4	2,9856	500	11,0	153,6	283
39	4x6	4,2442	500	14,0	230,4	407
40	4x10	7,4102	500	17,3	384,0	665
41	5x1,5 (100m)	1,1562	100	9,1	72,0	157
42	5x1,5 (500m)	1,1875	500	9,1	72,0	157
43	5x2,5 (100m)	1,7837	100	10,7	120,0	234
44	5x2,5 (500m)	1,8643	500	10,7	120,0	234
45	5x4	2,9957	500	12,4	192,0	330
46	5x6	4,3370	500	14,2	288,0	453
47	5x10	7,6050	500	18,1	480,0	752

P/L (H03VH-H)			PVC-om izolirani fleksibilni plosnati kabel			
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
48	2x0,75	0,2946	100	2,7 x 5,8	14,4	36

PP/L (H03VV-F)			PVC-om izoliran i oplašten laki finožični kabel			
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
49	2x0,75	0,3048	100	5,2	14,4	48
50	3x0,75	0,4207	100	5,5	21,6	55
51	4x0,75	0,5605	100	6,1	28,8	70
52	5x0,75	0,6662	100	6,8	36,0	83

PP/J (H05VV-F)			PVC-om izoliran i oplašten finožični kabel			
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
53	2x1	0,4242	100	6,2	19,2	57
54	2x1,5	0,5722	100	7,1	28,8	86
55	2x2,5	0,9925	100	8,8	48,0	129
56	3x1	0,5850	100	6,6	28,8	76
57	3x1,5	0,7794	100	7,6	43,2	107
58	3x2,5	1,2448	100	9,3	72,0	157
59	4x1	0,8299	100	7,4	38,4	96
60	4x1,5	1,0851	100	8,5	57,6	132
61	4x2,5	1,7581	100	10,4	96,0	195
62	4x4	3,0370	500	12	153,6	283
63	4x6	4,6742	500	14,7	230,4	379
64	5x1	1,0399	100	8,1	48,0	112
65	5x1,5	1,2637	100	9,5	72,0	165
66	5x2,5	2,0201	100	11,7	120,0	239
67	5x4	3,5619	500	13,3	192,0	320
68	5x6	5,4025	500	16,7	288,0	473
69	7x1,5	2,0253	100	10,6	100,8	189

PP/R (NYIFY)			PVC-om izoliran i oplašten instalacijski plosnati kabel s razmaknutim žilama			
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
70	3x1,5	0,8796	100	4,4	43,2	85
71	3x2,5	1,4096	100	5,2	72,0	125

2. ENERGETSKI KABELI

PP00 (NYY) (E-YY)			Energetski i signalni 0,6/1 kV kabel izoliran i oplasćen PVC-om			
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
72	1x16	3,1836	500	9,5	153,6	219
73	1x25	4,6682	500	11,5	240,0	327
74	1x35	6,3380	500	12,6	336,0	435
75	1x50	8,3932	500	14,9	480,0	576
76	1x70	11,7697	500	17	762,0	793
77	1x95	16,4970	500	19	912,0	1.069
78	1x120	20,6117	500	20	1.152,0	1.320
79	1x150	24,2872	500	22,5	1.440,0	1.616
80	1x185	31,4195	500	24,6	1.776,0	1.995
81	1x240	41,5820	500	27,7	2.304,0	2.593
82	1x300	52,4401	500	30,3	2.880,0	3.163
83	2x1,5	0,7734	500	8,7	28,8	119
84	2x2,5	1,0702	500	9,9	48,0	157
85	3x1,5	0,8278	500	9,2	43,2	142
86	3x2,5	1,2691	500	10,4	72,0	188
87	3x4	2,2578	500	12	115,2	267
88	3x6	3,2790	500	13	172,8	346
89	3x10	5,3119	500	15	288,0	508
90	4x1,5	1,1909	500	10	57,6	168
91	4x2,5	1,7644	500	11,1	96,0	222
92	4x4	2,8306	500	13,3	153,6	336
93	4x6	4,3789	500	14,2	230,4	427
94	4x10	6,7051	500	18	384,0	642
95	4x16	10,2349	500	20	614,4	978
96	4x25	16,2540	500	25,1	960,0	1.486
97	4x35	22,1379	500	25	1.344,0	1.685
98	4x50	29,2065	500	29,3	1.920,0	2.230
99	4x70	41,8099	500	33	2.688,0	2.999
100	4x95	57,1251	500	38	3.648,0	4.145
101	4x120	72,8017	500	41,5	4.608,0	5.054
102	4x150	89,8941	500	45	5.760,0	6.280
103	4x185	108,3460	500	49	7.104,0	7.656
104	4x240	142,7096	500	58	9.216,0	10.172
105	5x1,5	1,3173	500	11	72,0	199
106	5x2,5	2,0378	500	12,2	120,0	259
107	5x4	3,4032	500	25,5	192,0	395
108	5x6	4,8558	500	15,4	288,0	497
109	5x10	7,8278	500	18,5	480,0	770
110	5x16	12,3086	500	22	768,0	1.183
111	5x25	20,1087	500	28,7	1.200,0	1.803
112	5x35	27,0473	500	31,5	1.680,0	2.320
113	7x1,5	2,2283	500	14,1	100,8	300
114	10x1,5	3,8917	500	17,2	144,0	360
115	12x1,5	4,4310	500	17,7	172,8	400
116	14x1,5	5,5422	500	18,5	201,6	450
117	16x1,5	5,9173	500	19,4	230,4	500
118	19x1,5	7,1517	500	20,3	273,6	560
119	24x1,5	7,8278	500	22,9	345,6	700

120	7x2,5	3,9272	500	15,9	168,0	420
121	10x2,5	6,1005	500	19,6	240,0	500

NYCY (PP40)			Energetski i signalni 0,6/1 kV kabel izoliran i oplašten PVC-om, s koncentričnim zaštitnim Cu vodičem			
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
122	2x1,5/1,5	1,6719	razno	13	49,9	210
123	2x2,5/2,5	2,1535	razno	14	76,8	260
124	2x4/4	3,2414	razno	16	118,1	350
125	3x1,5/1,5	1,9218	razno	14	63,4	220
126	3x2,5/2,5	2,5158	razno	15	99,8	290
127	4x1,5/1,5	2,1813	razno	14,2	77,8	250
128	4x2,5/2,5	2,8327	razno	15,3	122,9	340
129	4x4/4	4,2654	razno	17,3	192,0	460
130	4x6/6	6,4839	razno	18,4	285,1	580
131	4x10/10	9,9635	razno	21	483,8	765
132	7x1,5/2,5	3,2519	razno	15,3	127,7	350
133	12x1,5/2,5	5,2945	razno	19,4	196,8	470

FG16OR16			Energetski i signalni 0,6/1 kV fleksibilni kabel izoliran tvrdom EPM-gumom i oplašten PVC-om			
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
172	1x25	4,6884	razno	11,1	240,0	288
173	1x35	5,8400	razno	12,1	336,0	383
174	1x50	8,3128	razno	13,9	480,0	525
175	1x70	11,5828	razno	16,1	672,0	765
176	1x95	14,8048	razno	18	912,0	1.000
177	1x120	19,5105	razno	19	1.152,0	1.230
178	1x150	23,5435	razno	22,3	1.440,0	1.550
179	1x185	29,4500	razno	23,6	1.776,0	1.880
180	1x240	37,7593	razno	26,4	2.304,0	2.410
181	1x300	46,9228	razno	31	2.880,0	3.000
182	1x400	70,8034	razno	35,7	3.840,0	3.960
183	2 x 1,5	1,1413	razno	9,6	28,8	129
184	2 x 2,5	1,5707	razno	10,6	48,0	163
185	2 x 4	2,2284	razno	11,4	76,8	211
186	2 x 6	3,0813	razno	12,9	115,2	268
187	2 x 10	4,9561	razno	14,6	192,0	401
188	2 x 16	7,8168	razno	16,8	336,0	555
189	2 x 25	11,5112	razno	20,3	480,0	865
190	3x1,5	1,1866	razno	10	43,2	144
191	3x2,5	1,6607	razno	11,1	72,0	187
192	3x4	2,5372	razno	12	115,2	246
193	3x6	3,3888	razno	13,6	172,8	331
194	3x10	5,6403	razno	15,4	288,0	484
195	4x1,5	1,6103	razno	11,4	57,6	167
196	4x2,5	2,1615	razno	12	96,0	220
197	4x4	3,3245	razno	13	153,6	306
198	4x6	4,9763	razno	14,6	230,4	397
199	4x10	7,5816	razno	16,8	384,0	600

200	4x16	11,1792	razno	19,4	614,4	888
201	4x25	17,2872	razno	23,6	960,0	1.310
202	3x35+1x25	23,4631	razno	25,1	1.248,0	1.630
203	3x50+1x25	31,1447	razno	29,6	1.680,0	2.110
204	3x70+1x35	43,6047	razno	34,5	2.352,0	3.030
205	3x95+1x50	57,6737	razno	38,9	3.216,0	3.910
206	3x120+1x70	76,9133	razno	42	4.128,0	5.000
207	3x150+1x95	109,0538	razno	49	5.232,0	6.340
208	5x1,5	1,7761	razno	14,5	72,0	260
209	5x2,5	2,5910	razno	15,6	120,0	368
210	5x4	3,7992	razno	17,7	192,0	478
211	5x6	5,4292	razno	19,9	288,0	740
212	5x10	9,1762	razno	23,6	480,0	1.070
213	5x16	13,6164	razno	27,6	768,0	1.620
214	5x25	20,6627	razno	32,1	1.200,0	2.145
215	5x35	29,1749	razno	36,1	1.680,0	3.000
216	7x1,5	2,9541	razno	12,6	100,8	241

PP00-A (E-AYY) (NAYY)			Energetski 0,6/1 kV kabel izoliran i oplašten PVC-om, s Al vodičima			
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Al kg/km	težina kg/km
217	4x16	2,4757	razno	20,1	185,6	780
218	4x25	3,4824	razno	25,3	290,0	890
219	4x35	4,7548	razno	25,6	406,0	1.090
220	4x50	5,8073	razno	28,4	580,0	1.150
221	4x70	7,9811	razno	31,4	812,0	1.451
222	4x95	10,1752	razno	36,9	1.102,0	1.967
223	4x120	13,6115	razno	39,9	1.392,0	2.274
224	4x150	14,9965	razno	46	1.740,0	2.910
225	4x185	20,2216	razno	51,7	2.146,0	3.570
226	4x240	24,6828	razno	57,9	2.784,0	4.380

NFA2X (Elkalex) (X00-A) (X00/0-A)			Samonosivi kabelski snop 0,6/1 kV s XLPE-izolacijom			
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Al kg/km	težina kg/km
227	2x16	0,8943	razno	15	93,0	137
228	4x16	1,7287	razno	18	186,0	270

3. GUMOM IZOLIRANI KABELI

HO5RR-F (GG/J)			Lakom gumom oplašten i izoliran fleksibilni kabel			
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
229	2x1	0,6435	100	7,7	18,2	71
230	2x1,5	0,9428	100	8,5	28,8	110
		0,0000				
231	3x1	0,7929	100	8	30,0	83
232	3x1,5	1,1484	100	9	43,2	125
233	3x2,5	1,6929	100	11	72,0	180
234	4x1,5	1,5249	100	10	57,6	160
235	4x2,5	2,2936	100	12	96,0	240
236	5x1,5	1,8803	100	11,5	72,0	195
237	5x2,5	2,7790	100	13	120,0	290

HO7RN-F (GN/J)			Teškom gumom oplašten i gumom izoliran fleksibilni kabel			
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
238	2x1,5	1,1552	100	9,5	28,8	130
239	3x1,5	1,4693	100	10,5	43,2	150
240	3x2,5	1,8734	100	12,5	72,0	220
241	4x1,5	1,7783	100	11,5	57,6	190
242	4x2,5	2,5701	100	14	96,0	280
243	4x4	3,6623	500	16,5	153,6	390
244	4x6	5,0475	500	17,5	230,4	520
245	4x10	8,9053	500	24	384,0	950
246	4x16	12,7010	500	27	614,4	1.400
247	5x1,5	2,2607	100	12,5	72,0	230
248	5x2,5	2,9236	100	15,5	120,0	340
249	5x4	4,3993	500	17,5	192,0	470
250	5x6	6,3727	500	19	288,0	640
251	5x10	11,2649	500	26	480,0	1.150
252	5x16	16,4847	500	30	768,0	1.700

H01N2-D			Gumom oplašten jednožilni kabel za zavarivanje			
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
253	16	3,9177	razno	10	153,6	220
254	25	5,0958	razno	11,5	240,0	300
255	35	6,8460	razno	13	336,0	410
256	50	9,7866	razno	15	480,0	560
257	70	14,2427	razno	17	672,0	770
258	95	19,5835	razno	19,5	912,0	1.050

4. KABELI BEZ HALOGENA

NHXH FE180/E30			Bezhalogeni energetska i signalna 0,6/1 kV kabela, poboljšanih svojstava za slučaj požara, s očuvanom električnom funkcionalnošću 30 minuta			
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
259	1x16	4,0976	razno	10	153,6	230
260	1x25	5,8829	razno	11	240,0	340
261	1x35	7,7010	razno	12	336,0	440
262	1x50	10,1339	razno	14	480,0	620
263	1x70	13,7756	razno	16	762,0	850
264	1x95	18,3543	razno	18	912,0	1.100
265	1x120	22,7320	razno	19	1.152,0	1.350
266	1x150	27,5997	razno	22	1.440,0	1.650
267	1x185	34,2169	razno	24	1.776,0	2.100
268	1x240	44,5804	razno	27	2.304,0	2.540
269	2x1,5	1,8491	razno	12	28,8	200
270	2x2,5	2,3435	razno	13	48,0	220
271	2x4	2,7942	razno	14	76,8	270
272	2x6	3,9997	razno	15	115,2	380
273	2x10	6,3471	razno	17	192,0	490
274	3x1,5	1,9615	razno	13	43,2	210
275	3x2,5	2,6776	razno	13,5	72,0	230
276	3x4	3,9271	razno	15	115,2	300
277	3x6	5,2608	razno	16	172,8	380
278	3x10	7,9281	razno	18	288,0	500
279	4x1,5	2,5332	razno	14	57,6	280
280	4x2,5	3,3090	razno	15	96,0	350
281	4x4	5,1592	razno	17	153,6	440
282	4x6	6,7523	razno	18	230,4	560
283	4x10	10,3925	razno	20	384,0	760
284	4x16	16,6718	razno	23	614,4	1.100
285	4x25	22,6893	razno	26	960,0	1.600
286	4x35	29,5491	razno	32	1.344,0	2.100
287	4x50	39,0239	razno	33	1.920,0	2.900
288	4x70	52,1254	razno	37	2.688,0	3.900
289	4x95	73,1985	razno	43	3.648,0	5.200
290	4x120	100,1219	razno	47	4.608,0	6.300
291	4x150	121,0866	razno	49	5.760,0	6.450
292	5x1,5	3,4138	razno	15	72,0	330
293	5x2,5	4,3605	razno	17	120,0	410
294	5x4	6,2523	razno	18	192,0	520
295	5x6	7,9597	razno	20	288,0	660
296	5x10	12,1810	razno	21	480,0	950
297	5x16	19,5491	razno	23	768,0	1.300

NHXH FE180/E90			Bezhalogeni energetska i signalna 0,6/1 kV kabela, poboljšanih svojstava za slučaj požara, s očuvanom električnom funkcionalnošću 90 minuta			
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
298	1x16	4,2152	razno	11	153,6	230
299	1x25	5,8459	razno	13	240,0	340
300	1x35	7,6550	razno	14	336,0	440
301	1x50	10,1588	razno	16	480,0	620

302	1x70	14,9520	razno	18	762,0	850
303	1x95	17,7650	razno	20	912,0	1.100
304	1x120	24,9816	razno	21	1.152,0	1.350
305	1x150	28,4918	razno	24	1.440,0	1.650
306	1x185	38,0604	razno	26	1.776,0	2.100
307	1x240	51,9435	razno	29	2.304,0	2.600
308	2x1,5	1,7325	razno	14	28,8	210
309	2x2,5	2,3100	razno	14	48,0	250
310	2x4	3,4944	razno	16	76,8	310
311	2x6	4,8216	razno	17	115,2	380
312	2x10	7,4592	razno	19	192,0	510
313	3x1,5	1,9588	razno	15	43,2	240
314	3x2,5	2,5982	razno	15	72,0	290
315	3x4	3,6750	razno	17	115,2	360
316	3x6	5,3382	razno	18	172,8	450
317	3x10	7,9097	razno	20	288,0	620
318	4x1,5	2,5578	razno	16	57,6	280
319	4x2,5	3,3810	razno	17	96,0	350
320	4x4	4,9964	razno	19	153,6	440
321	4x6	6,6077	razno	20	230,4	560
322	4x10	10,9148	razno	22	384,0	760
323	4x16	16,5386	razno	25	614,4	1.100
324	4x25	26,1744	razno	30	960,0	1.600
325	4x35	32,3190	razno	32	1.344,0	2.100
326	4x50	44,4827	razno	37	1.920,0	2.900
327	4x70	62,4771	razno	41	2.688,0	3.900
328	4x95	81,2700	razno	47	3.648,0	5.200
329	4x120	105,1218	razno	49	4.608,0	6.300
330	4x150	133,3395	razno	51	5.760,0	6.450
331	5x1,5	3,0833	razno	17	72,0	330
332	5x2,5	3,9874	razno	19	120,0	410
333	5x4	5,6312	razno	20	192,0	520
334	5x6	7,7112	razno	22	288,0	660
335	5x10	12,5160	razno	24	480,0	950
336	5x16	18,8076	razno	27	768,0	1.300
337	5x25	28,4975	razno	32	2.400,0	2.000

JE-H(St)H E30-E90			Bezhalogeni instalacijski kabel za industrijsku elektroniku, poboljšanih svojstava za slučaj požara, s očuvanom el. funkcionalnošću između 30 i 90 minuta			
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
338	1x2x0,8	0,6039	razno	5,5	14,0	40
339	2x2x0,8	0,9087	razno	6	21,0	56

5. BAKRENO UŽE

BAKRENO UŽE						
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
340	16	2,9317	razno	4,7	140,0	140
341	25	4,1787	razno	6	219,0	219
342	35	5,8570	razno	6,9	304,0	304
343	50	7,0300	razno	8,2	420,0	420
344	70	11,3070	razno	9,8	600,0	600
345	95	16,0141	razno	11,6	828,0	828
346	120	23,3639	razno	13,1	1.053,0	1.053

6. SILIKONOM IZOLIRANI KABALI I VODIČI

SiF (H05S-K)			Silikonskom gumom izoliran finožični vodič otporan na temp. od -60 do +180°C, kratkotrajno do 250°C			
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
347	0,5	0,1615	100	1,8	4,8	8
348	0,75	0,2337	100	2	7,7	10
349	1	0,2816	100	2,2	9,6	13
350	1,5	0,3789	100	2,6	14,4	20
351	2,5	0,6076	100	3,2	24,0	32
352	4	0,9308	100	3,7	38,4	48
353	6	1,3997	100	4,2	57,6	68

SiHF (H05SS-F)			Silikonskom gumom izoliran i oplašten finožični kabel otporan na temp. od -60 do +180°C, kratkotrajno do 250°C			
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
354	2x0,75	0,7416	100	6,4	14,4	57
355	2x1,5	1,1951	100	7,6	28,8	81
356	3x0,75	1,0431	100	6,8	22,1	67
357	3x1	1,2384	100	7	28,8	82
358	3x1,5	1,7060	100	8	43,2	83
359	3x2,5	2,5816	100	9,7	72,0	125
360	4x1,5	2,1638	100	8,8	57,6	120
361	4x2,5	3,4593	100	10,6	96,0	180
362	5x1,5	3,3040	100	9,6	72,0	145
363	5x2,5	5,2416	100	11,6	120,0	270
364	7x1,5	4,7174	100	11	100,8	200

7. POLIURETANOM IZOLIRANI KABELI

H07BQ-F (NGMH11Yö)			Poliuretanom oplašten fleksibilni energetski kabel za gradilišta			
Br.	dimenzije mm²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
365	2x1,5	1,4367	100	8,2	28,8	86
366	3x1,5	1,8369	100	8,8	43,2	108
367	3x2,5	2,5400	100	10,2	72,0	155
368	3x4	3,9300	razno	11,9	115,2	221
369	4x1,5	2,2627	100	9,7	57,6	136
370	4x2,5	3,3666	100	11,5	96,0	201
371	5x1,5	2,6009	100	10,7	72,0	169
372	5x2,5	4,7187	100	12,8	120,0	252
373	5x4	6,4114	razno	14,9	192,0	359
374	5x6	9,1305	razno	16,9	288,0	490

8. SIGNALNI KABELEI

YSLY			Signalni fleksibilni kabel izoliran i oplašten PVC-om			
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
375	2x0,5	0,2898	razno	4,8	9,6	36
376	3x0,5	0,4072	razno	5	14,4	42
377	4x0,5	0,4998	razno	5,7	19,2	55
378	5x0,5	0,6745	razno	6,2	24,0	65
379	7x0,5	0,8438	razno	6,7	33,6	81
380	10x0,5	1,3337	razno	8,8	48,0	129
381	12x0,5	1,3954	razno	9	57,6	142
382	14x0,5	1,8751	razno	9,5	67,2	158
383	16x0,5	2,0373	razno	10	76,8	176
384	21x0,5	2,8547	razno	11,3	100,8	229
385	25x0,5	3,0943	razno	12,9	120,0	284
386	30x0,5	4,0029	razno	13,5	144,0	330
387	2x0,75	0,3582	razno	5,2	14,4	44
388	3x0,75	0,4817	razno	5,4	21,6	53
389	4x0,75	0,6520	razno	6,2	28,8	68
390	5x0,75	0,7971	razno	6,8	36,0	83
391	6x0,75	1,1124	razno	7	43,2	99
391	7x0,75	1,1429	razno	7,3	50,4	104
392	10x0,75	1,6847	razno	9,6	72,0	165
393	12x0,75	1,9100	razno	9,9	86,4	183
394	16x0,75	2,8200	razno	11,4	115,2	240
395	21x0,75	3,6733	razno	12,8	151,2	303
396	25x0,75	4,1937	razno	14,3	180,0	376
397	34x0,75	5,8823	razno	16,3	244,8	496
398	2x1	0,4692	razno	5,5	19,2	51
399	3x1	0,6479	razno	5,9	28,8	64
400	4x1	0,8450	razno	6,5	38,4	80
401	5x1	1,0631	razno	7,2	48,0	99
402	7x1	1,5030	razno	8	67,2	70
403	10x1	2,1920	razno	11,5	96,0	100
404	12x1	2,6293	razno	10,8	115,2	120
405	14x1	3,0647	razno	11,3	134,4	249
406	16x1	3,4100	razno	12	153,6	286
407	18x1	3,8525	razno	12,7	172,8	316
407	21x1	4,7197	razno	13,6	201,6	369
408	25x1	5,2218	razno	14,5	240,0	456
409	34x1	7,4934	razno	17,4	326,4	591
410	2x1,5	0,6458	razno	6,3	28,8	69
411	3x1,5	0,8161	razno	6,6	43,2	84
412	4x1,5	1,1231	razno	7,3	57,6	105
413	5x1,5	1,4040	razno	8,2	72,0	132
414	6x1,5	2,0044	razno	8,5	72,0	158
414	7x1,5	1,9030	razno	8,9	100,8	168
415	10x1,5	3,0296	razno	11,6	144,0	263
416	12x1,5	3,4618	razno	12	172,8	294
417	14x1,5	4,3706	razno	12,8	201,6	336
418	16x1,5	4,8574	razno	13,5	230,4	377
419	18x1,5	5,6188	razno	14,4	230,4	426
419	21x1,5	6,4067	razno	15,2	302,4	488
420	25x1,5	7,5929	razno	17,5	360,0	612
420	32x1,5	11,7823	razno	18,5	360,0	700

421	34x1,5	10,5814	razno	19,7	360,0	795
422	2x2,5	1,1064	razno	7,6	48,0	106
423	3x2,5	1,4323	razno	8,1	72,0	132
424	4x2,5	1,9081	razno	9	96,0	167
425	5x2,5	2,3569	razno	10,1	120,0	211
426	7x2,5	3,3072	razno	11,2	168,0	273
427	12x2,5	4,9442	razno	15,1	288,0	475
428	3x4	2,4046	razno	9,9	115,2	205
429	4x4	3,1495	razno	11,2	153,6	263
430	5x4	4,1089	razno	12,6	192,0	332
431	4x6	4,5653	razno	12,6	230,4	358
432	5x6	5,9956	razno	14,1	288,0	453
433	4x10	8,0549	razno	16,5	384,0	620
434	5x10	10,6996	razno	18,4	480,0	778

YSLCY			Signalni fleksibilni kabel izoliran PVC-om, sa Cu zaslonom i PVC plaštom			
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
435	2x0,75	0,7970	razno	8,5	41,3	55
436	3x0,75	0,9714	razno	9	49,9	65
437	4x0,75	1,1911	razno	9,5	58,6	80
438	5x0,75	1,4569	razno	10,5	69,1	95
439	7x0,75	1,8207	razno	11,5	96,0	120
440	12x0,75	2,8655	razno	11,5	132,5	190
441	16x0,75	3,8982	razno	11,5	167,0	245
441	25x0,75	5,9836	razno	19,5	268,8	380
442	34x0,75	8,3644	razno	22	342,7	740
443	2x1	0,9268	razno	9	49,0	120
444	3x1	1,1923	razno	9,5	59,5	140
445	4x1	1,4340	razno	10	71,0	160
446	5x1	1,7621	razno	11	84,5	190
447	7x1	2,2703	razno	11,5	107,5	220
448	10x1	3,2044	razno	14	145,9	310
449	12x1	3,6213	razno	14,5	167,0	340
450	14x1	4,3492	razno	16	208,3	400
451	18x1	5,1669	razno	17,5	257,3	500
452	25x1	6,8224	razno	21	339,8	680
453	34x1	9,8169	razno	23,5	439,7	870
454	2x1,5	1,1278	razno	10	62,4	150
455	3x1,5	1,5566	razno	10,5	78,7	170
456	4x1,5	1,8925	razno	11	96,0	200
457	5x1,5	2,2784	razno	12	114,2	230
458	7x1,5	3,0009	razno	14	165,1	330
459	12x1,5	4,8404	razno	17,5	257,3	460
460	18x1,5	6,9755	razno	20	358,1	660
461	25x1,5	10,7478	razno	24,5	508,8	940
462	34x1,5	13,4103	razno	26,5	658,6	1.190
463	2x2,5	1,7930	razno	11	88,3	200
464	3x2,5	2,3957	razno	11,5	114,2	230
465	4x2,5	3,0404	razno	12,5	143,0	270
466	5x2,5	3,6472	razno	13,5	171,8	320
467	7x2,5	4,8789	razno	15,5	243,8	410

468	12x2,5	8,0090	razno	17,4	390,7	410
469	4x4	4,6316	razno	15	229,4	410
470	5x4	5,0924	razno	16,5	276,5	480
		0,0000				
471	4x6	6,4525	razno	17,5	320,6	560
472	5x6	7,7184	razno	19	386,9	650
473	4x10	10,7459	razno	22,5	497,3	920
474	5x10	12,8706	razno	25	635,5	1.150
475	4x16	17,2715	razno	24	776,6	1.220
476	5x16	20,9056	razno	26,5	950,4	1.470

9. TELEKOMUNIKACIJSKI KABELI

J-Y(St)Y			Telekomunikacijski instalacijski kabel s izolacijom i plaštom od PVC-a i zaslonom od Al-folije			
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
477	1x2x0,6	0,2112	razno	5	7,0	30
478	2x2x0,6	0,3145	razno	5,5	13,0	40
479	3x2x0,6	0,4860	razno	6,3	18,0	50
480	4x2x0,6	0,5489	razno	6,8	24,0	60
481	5x2x0,6	0,7201	razno	7,2	30,0	70
482	6x2x0,6	0,8305	razno	7,5	35,0	80
483	10x2x0,6	1,3005	razno	9	58,0	110
484	20x2x0,6	2,4567	razno	11	116,0	190
485	30x2x0,6	3,9602	razno	13	172,0	280
486	50x2x0,6	6,2264	razno	17	286,0	440
487	100x2x0,6	12,0881	razno	23	568,0	850
488	1x2x0,8	0,3150	razno	6	11,0	40
489	2x2x0,8	0,4608	razno	7	21,0	60
490	3x2x0,8	0,7239	razno	8,5	31,0	80
491	4x2x0,8	0,9016	razno	9	41,0	100
492	5x2x0,8	1,2246	razno	9,5	52,0	120
493	6x2x0,8	1,4366	razno	10,5	62,0	140
494	10x2x0,8	2,2785	razno	13	102,0	210
495	20x2x0,8	4,3193	razno	16,5	204,0	380
496	30x2x0,8	6,7616	razno	20	304,0	550

10. VATRODOJAVNI KABELI

JB-Y(St)Y			Vatrodjavni instalacijski kabel s izolacijom i plaštom od PVC-a i zaslonom od Al-folije			
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
497	1x2x0,8	0,2982	razno	6	11,0	40
498	2x2x0,8	0,4800	razno	7	21,0	60
499	4x2x0,8	1,0205	razno	8,5	31,0	80

11. KABELI ZA ELEKTRONIKU

LIYCY			Elektronički fleksibilni kabel izoliran i oplašten PVC-om, s Cu opletom			
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
500	2x0,25	0,4515	razno	3,7	15,0	25
501	3x0,25	0,5242	razno	4,1	18,0	32
502	4x0,25	0,7065	razno	4,7	22,0	40
503	5x0,25	0,8306	razno	5,0	26,0	47
504	6x0,25	0,9345	razno	5,2	30,0	54
505	7x0,25	0,9848	razno	5,4	35,0	56
506	8x0,25	1,2960	razno	6,0	36,0	67
507	10x0,25	1,4681	razno	6,5	44,0	80
508	2x0,34	0,4924	razno	4,6	18,0	33
509	3x0,34	0,7221	razno	5,0	22,0	41
510	4x0,34	0,8830	razno	5,4	26,0	54
511	5x0,34	1,1519	razno	5,8	32,0	60
512	6x0,34	1,3575	razno	6,6	45,0	61
513	7x0,34	1,4408	razno	6,5	40,0	70
514	8x0,34	1,6416	razno	7,2	45,0	90
515	10x0,34	2,0127	razno	8,0	66,0	113
516	2x0,50	0,6083	razno	5,1	24,0	43
517	3x0,50	0,8867	razno	5,4	32,0	54
518	4x0,50	1,0507	razno	6,1	37,0	64
519	5x0,50	1,2661	razno	6,7	55,0	84
520	7x0,50	1,8226	razno	7,2	68,0	102
521	10x0,50	2,4349	razno	8,6	93,0	137
522	12x0,50	2,6078	razno	9,5	117,0	157
523	20x0,50	4,5120	razno	11,6	165,0	258
524	2x0,75	0,6799	razno	5,4	32,0	53
525	3x0,75	0,8594	razno	5,8	40,0	66
526	4x0,75	1,0978	razno	6,4	60,0	78
527	5x0,75	1,5395	razno	7,1	72,0	99
528	7x0,75	1,9738	razno	7,9	92,0	129
529	8x0,75	2,3481	razno	8,6	104,0	145
530	10x0,75	3,0596	razno	11,7	140,0	180
531	12x0,75	3,2933	razno	12	154,0	202
532	2x1,0	0,9327	razno	6,0	50,0	63
533	3x1,0	1,2495	razno	6,4	60,0	82
534	4x1,0	1,5950	razno	6,9	74,0	97
535	5x1,0	1,9598	razno	7,8	89,0	121
536	7x1,0	2,5254	razno	9,2	118,0	158
537	8x1,0	2,8759	razno	10,5	130,0	197
538	10x1,0	3,9590	razno	11,5	145,0	232
539	12x1,0	4,5847	razno	12	168,0	260
540	2x1,5	1,1738	razno	7,1	57,0	84
541	3x1,5	1,6065	razno	7,5	74,0	106
542	4x1,5	2,1560	razno	8,4	92,0	136
543	5x1,5	2,6749	razno	9,5	111,0	178
544	7x1,5	3,4677	razno	10,8	164,0	208

LiYCY-TP			Elektronički fleksibilni kabel izoliran i oplašten PVC-om, s Cu opletom, s uvijenim paricama			
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
545	2x2x0,25	1,2481	razno	5,1	28,0	44
546	3x2x0,25	1,5242	razno	5,7	44,0	56
547	4x2x0,25	1,6515	razno	6,6	57,0	71
548	5x2x0,25	2,4698	razno	7,4	63,0	82
549	8x2x0,25	4,5408	razno	9,0	86,0	124
			razno			
550	2x2x0,34	1,1518	razno	6,6	45,0	66
551	3x2x0,34	1,4398	razno	7,5	54,0	80
552	4x2x0,34	1,7287	razno	8,5	67,0	101
			razno			
553	2x2x0,5	1,3015	razno	7,2	52,0	79
554	3x2x0,5	1,6897	razno	8,6	67,0	106
555	4x2x0,5	2,0117	razno	9,3	83,0	126
556	6x2x0,5	3,3221	razno	12	112,0	186
557	8x2x0,5	4,2157	razno	13,2	132,0	232
558	12x2x0,5	5,6001	razno	15,4	196,0	313
			razno			
559	2x2x0,75	1,4394	razno	7,7	68,0	96
560	3x2x0,75	2,1560	razno	9,3	85,0	132
561	4x2x0,75	2,6528	razno	9,8	124,0	164
562	5x2x0,75	3,3430	razno	11,4	140,0	180
563	6x2x0,75	4,2594	razno	11,6	145,0	251

Kabel za zvučnike (LZF-XY) (Li-YZ)						
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
564	2x0,5 crv/crn	0,2308	100	2,4x4,8	9,6	21
565	2x0,75 crv/crn	0,3319	100	2,5x5,0	14,4	22
566	2x1 crv/crn	0,4312	100	2,6x5,2	19,2	28
567	2x1,5 crv/crn	0,6244	100	2,7x5,6	28,8	37
564	2x2,5 crv/crn	1,0503	100	3,5x7,0	48,0	60
568	2x4 crv/crn	1,6533	100	4,5x9,7	76,8	110
			100			
569	2x1 transp.	0,7495	100	2,5x5,0	19,2	29
568	2x1,5 transp.	1,1901	100	2,7x5,6	28,8	41
570	2x2,5 transp.	1,9668	100	3,5x7,0	48,0	61

12. KOAKSIJALNI KABELI

Koaksijalni kabeli					
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	proizvod
571	RG 6 75Ω	0,2500	100	6,9	
572	RG 59 75Ω MIL C17	0,4061	razno	6,2	
573	SAT 75Ω 6,8mm CL.A	0,3612	razno	6,8	
574	SAT 75Ω 5mm CL.A	0,4061	razno	5	

13. KABELI ZA ALARM

AF Type						
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
575	4 AF22	0,2050	100	3,6	8,5	21
576	6 AF 22	0,2598	100	4,1	12,7	26
577	8 AF 22	0,3640	100	4,5	16,9	33
578	12 AF 22	0,5106	100	5,35	25,3	45
579	4 AF 22 + 2x0,5	0,4053	100	4,65	18,1	35
580	6 AF 22 + 2x0,75	0,5296	100	5,35	27,1	50
581	12 AF 22 + 2x0,75	0,8247	100	6,3	39,7	66

14. KOMPJUTERSKI KABELI

LAN Kabeli						
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
582	Cat.5e UTP PVC	0,3797	305, 500	5	16,9	35
583	Cat.5e UTP LSNH	0,3906	500, 1000	5	16,9	35
584	Cat.5e F/UTP PVC	0,7324	500, 1000	5,9	19,0	36
585	Cat.5e F/UTP LSNH	0,7497	500, 1000	5,9	19,0	36
586	Cat.5e S/UTP LSNH	0,9025	500, 1000	6,4	24,2	46
587	Cat.6 U/UTP PVC	0,4925	305, 500	6,2	26,9	39
588	Cat.6 U/UTP LSNH	0,5101	500, 1000	6,2	26,9	39
582	Cat.6 F/UTP PVC	0,8586	500, 1000	6,5	30,2	44
589	Cat.6 F/UTP LSNH	0,8586	500, 1000	6,5	30,2	44
590	Cat.7 S/FTP LSZH	1,0658	500, 1000	7,5	44,0	75
591	Cat.7a S/FTP 1.2GHz	1,6083	500, 1000	8,2	44,0	66

OPĆI UVJETI PRODAJE:

CIJENE:	- bez PDV-a, - važeće na dan 01. RUJNA 2023. za kabele na lageru - promjenjive u slučaju promjene cijena Cu/Al za +/- 2%
PARITET:	- FCO - utovareno, skladište "Telur"
ISPORUKA:	- odmah, ili po dogovoru, ovisno o količini i stanju na skladištu
PLAĆANJE:	- po dogovoru

Kontakt:

Centrala	Žitnjak bb	+385 (0) 1 240 66 77
Prodavaonica 1	Av.Dubrava	+385 (0) 1 2862 232
Prodavaonica 2	Vinkovci	+385 (0) 32 308 608
Prodavaonica 3	Rijeka	+385 (0) 51 626 383
Prodavaonica 4	Osijek	+385 (0) 31 531 036
Prodavaonica 5	Ludbreg	+385 (0) 42 810 377
Prodavaonica 7	Karlovac	+385 (0) 47 645 321
Prodavaonica 8	Zadar	+385 99 2554-331
Prodavaonica 9	Poreč	+385 (0) 52 422 289

NAPOMENA:Svi kabele i vodiči su atestirani po propisima Republike Hrvatske