



Cjenik kabela i vodiča

15. TRAVANJ 2024.

**CJENIK JE VEZAN UZ CIJENU Cu/AL PREMA LME (London Metal Exchange) I
CJENIK JE VAŽEĆI NA DAN 15. TRAVNJA 2024. I PODLOŽAN JE PROMJENI**



Telur d.o.o.

Zagreb, Žitnjak b.b - tel/fax +385 (1) 2406 667;

e-mail: info@telur.hr; web: www.telur.hr

SADRŽAJ

1. INSTALACIJSKI KABELE I VODIČI

- P	(H07V-U)	3
- P / M	(H07V-R)	3
- P / F	(H07V-K)	3
- P / FT	(H07V2-K)	3
- PP (PGP)	(YM) (NYM)	3
- P / L	(H03VH-H)	4
- PP / L	(H03VV-F)	4
- PP / J	(H05VV-F)	4
- PP / R	(NYIFY)	5

2. ENERGETSKI KABELE

- PP00	(E-YY) (NYY)	6
- NYCY	(PP40)	7
- FG7OR		7
- FG16OR16		8
- PP00-A	(E-AYY) (NAYY)	9
- SKS	(X00-A) (Elkalex)	9

3. GUMOM IZOLIRANI KABELE

- H05RR-F	(GG/J)	10
- H07RN-F	(GN/J)	10
- H01N2-D	(KZS)	10

4. KABELE BEZ HALOGENA

- NHXH FE180/E30		11
- NHXH FE180/E90		11
- JE-H(St)H E30-E90		12

5. BAKRENO UŽE

	13
--	----

6. SILIKONOM IZOLIRANI KABELE I VODIČI

- SiF	13
- SiHF	13

7. POLIURETANOM IZOLIRANI KABELE

- H07BQ-F	14
-----------	----

8. SIGNALNI KABELE

- YSLY	15
- YSLCY	16

9. TELEKOMUNIKACIJSKI KABELE

- J-Y(St)Y	18
------------	----

10. VATRODOJAVNI KABELE

- JB-Y(St)Y	18
-------------	----

11. KABELE ZA ELEKTRONIKU

- LiYCY	19
- LiYCY-TP	20
- kabel za zvučnike	20

12. KOAKSIJALNI KABELE

- Koaksijalni kabeli	21
----------------------	----

13. KABELE ZA ALARM

- AF Type	21
-----------	----

14. KOMPJUTERSKI KABELE

- LAN kabel	21
-------------	----

1. INSTALACIJSKI KABELE I VODIČI


P (H07V-U)			PVC-om izolirani vodič - jednožični (puni)			
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
1	1,5	0,2364	100	2,6	14,4	18
2	2,5	0,3817	100	3,0	24,0	29
3	4	0,6981	100	3,9	38,4	45
4	6	1,0299	100	4,1	57,6	63
5	10	1,5840	100	5,3	96,0	106

P/M (H07V-R)			PVC-om izolirani vodič - višezični			
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
6	10	1,7652	100	5,8	96,0	110
7	16	3,0308	100	6,3	153,6	170
8	25	4,6096	razno	7,9	240,0	260
9	35	6,2195	razno	8,5	336,0	370

P/F (H05V-K) (H07V-K)			PVC-om izolirani vodič - finožični			
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
10	0,5	0,1062	200	1,8	4,8	8
11	0,75	0,1401	200	2,1	7,2	12
12	1	0,1799	100/200	2,3	9,6	14
13	1,5	0,2510	100	2,8	14,4	20
14	2,5	0,4034	100	3,6	24,0	31
15	4	0,6369	100	4,0	38,4	46
16	6	0,9339	100	4,7	57,6	66
17	10	1,5762	100	6,0	96,0	104
18	16	2,5215	100	7,1	153,6	175
19	25	3,9425	100, razno	9,0	240,0	280
20	35	5,4913	razno	10,4	336,0	380
21	50	8,1451	razno	11,8	480,0	550
22	70	11,6442	razno	14,8	672,0	760
23	95	15,1079	razno	16,4	912,0	1.020
24	120	19,2451	razno	17,5	1.152,0	1.280
25	150	23,9587	razno	19,0	1.440,0	1.600
26	185	29,4274	razno	22,0	1.776,0	1.960
27	240	38,9132	razno	27,0	2.304,0	2.550

P/FT (H07V2-K)			PVC-om izolirani vodič - finožični sa povećanim temperaturnim otporom, do 90°C			
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
28	150	30,4458	500	19,0	1.440,0	1.600

PGP (YM) (NYM)			PVC-om izolirani instalacijski kabel			
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
29	2x1,5	0,6492	100	7,0	28,8	91
30	3x1,5 (100m)	0,7268	100	7,8	43,2	111
31	3x1,5 (500m)	0,7688	500	7,8	43,2	111
32	3x2,5 (100m)	1,1945	100	8,9	72,0	159



33	3x2,5 (500m)	1,2078	500	8,9	72,0	159
34	3x4	2,2705	500	10,0	115,2	225
35	4x1,5 (100m)	1,0721	100	8,3	57,6	132
36	4x1,5 (500m)	1,0939	500	8,6	57,6	132
37	4x2,5	1,7220	100	10,3	96,0	208
38	4x4	3,2041	500	11,0	153,6	283
39	4x6	4,6274	500	14,0	230,4	407
40	4x10	7,8615	500	17,3	384,0	665
41	5x1,5 (100m)	1,2477	100	9,1	72,0	157
42	5x1,5 (500m)	1,2716	500	9,1	72,0	157
43	5x2,5 (100m)	1,9172	100	10,7	120,0	234
44	5x2,5 (500m)	2,0026	500	10,7	120,0	234
45	5x4	3,2259	500	12,4	192,0	330
46	5x6	4,6587	500	14,2	288,0	453
47	5x10	8,2759	500	18,1	480,0	752

P/L (H03VH-H)			PVC-om izolirani fleksibilni plosnati kabel			
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
48	2x0,75	0,3188	100	2,7 x 5,8	14,4	36

PP/L (H03VV-F)			PVC-om izoliran i oplašten laki finožični kabel			
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
49	2x0,75	0,3447	100	5,2	14,4	48
50	3x0,75	0,4726	100	5,5	21,6	55
51	4x0,75	0,6201	100	6,1	28,8	70
52	5x0,75	0,7809	100	6,8	36,0	83

PP/J (H05VV-F)			PVC-om izoliran i oplašten finožični kabel			
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
53	2x1	0,4521	100	6,2	19,2	57
54	2x1,5	0,6133	100	7,1	28,8	86
55	2x2,5	1,0731	100	8,8	48,0	129
56	3x1	0,6334	100	6,6	28,8	76
57	3x1,5	0,8404	100	7,6	43,2	107
58	3x2,5	1,3458	100	9,3	72,0	157
59	4x1	0,8977	100	7,4	38,4	96
60	4x1,5	1,1722	100	8,5	57,6	132
61	4x2,5	1,9032	100	10,4	96,0	195
62	4x4	3,3079	500	12	153,6	283
63	4x6	5,1096	500	14,7	230,4	379
64	5x1	1,1246	100	8,1	48,0	112
65	5x1,5	1,3653	100	9,5	72,0	165
66	5x2,5	2,1864	100	11,7	120,0	239
67	5x4	3,8683	500	13,3	192,0	320
68	5x6	5,8863	500	16,7	288,0	473
69	7x1,5	2,1929	100	10,6	100,8	189

PP/R (NYIFY)			PVC-om izoliran i oplašten instalacijski plosnati kabel s razmaknutim žilama			
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
70	3x1,5	0,9576	100	4,4	43,2	85
71	3x2,5	1,5396	100	5,2	72,0	125

2. ENERGETSKI KABELI

PP00 (NYY) (E-YY)			Energetski i signalni 0,6/1 kV kabel izoliran i oplasćen PVC-om			
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
72	1x16	3,1836	500	9,5	153,6	219
73	1x25	5,0915	500	11,5	240,0	327
74	1x35	6,9307	500	12,6	336,0	435
75	1x50	9,1996	500	14,9	480,0	576
76	1x70	12,9269	500	17	762,0	793
77	1x95	18,1057	500	19	912,0	1.069
78	1x120	22,6438	500	20	1.152,0	1.320
79	1x150	26,7064	500	22,5	1.440,0	1.616
80	1x185	34,5524	500	24,6	1.776,0	1.995
81	1x240	45,7043	500	27,7	2.304,0	2.593
82	1x300	57,5688	500	30,3	2.880,0	3.163
83	2x1,5	0,8242	500	8,7	28,8	119
84	2x2,5	1,1492	500	9,9	48,0	157
85	3x1,5	0,8855	500	9,2	43,2	142
86	3x2,5	1,3658	500	10,4	72,0	188
87	3x4	2,4542	500	12	115,2	267
88	3x6	3,5809	500	13	172,8	346
89	3x10	5,7933	500	15	288,0	508
90	4x1,5	1,2780	500	10	57,6	168
91	4x2,5	1,9055	500	11,1	96,0	222
92	4x4	3,0784	500	13,3	153,6	336
93	4x6	4,7854	500	14,2	230,4	427
94	4x10	7,3019	500	18	384,0	642
95	4x16	11,1639	500	20	614,4	978
96	4x25	17,7297	500	25,1	960,0	1.486
97	4x35	24,2265	500	25	1.344,0	1.685
98	4x50	32,0289	500	29,3	1.920,0	2.230
99	4x70	45,8290	500	33	2.688,0	2.999
100	4x95	62,5795	500	38	3.648,0	4.145
101	4x120	79,7690	500	41,5	4.608,0	5.054
102	4x150	98,6032	500	45	5.760,0	6.280
103	4x185	118,7889	500	49	7.104,0	7.656
104	4x240	156,2571	500	58	9.216,0	10.172
105	5x1,5	1,4152	500	11	72,0	199
106	5x2,5	2,2011	500	12,2	120,0	259
107	5x4	3,6806	500	25,5	192,0	395
108	5x6	5,2791	500	15,4	288,0	497
109	5x10	8,5334	500	18,5	480,0	770
110	5x16	13,2634	500	22	768,0	1.183
111	5x25	21,9432	500	28,7	1.200,0	1.803
112	5x35	29,5310	500	31,5	1.680,0	2.320
113	7x1,5	2,4061	500	14,1	100,8	300
114	10x1,5	3,8917	500	17,2	144,0	360
115	12x1,5	4,4310	500	17,7	172,8	400
116	14x1,5	5,5422	500	18,5	201,6	450
117	16x1,5	5,9173	500	19,4	230,4	500
118	19x1,5	7,1517	500	20,3	273,6	560
119	24x1,5	7,8278	500	22,9	345,6	700

120	7x2,5	3,9272	500	15,9	168,0	420
121	10x2,5	6,1005	500	19,6	240,0	500

NYCY (PP40)			Energetski i signalni 0,6/1 kV kabel izoliran i oplašten PVC-om, s koncentričnim zaštitnim Cu vodičem			
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
122	2x1,5/1,5	1,7620	razno	13	49,9	210
123	2x2,5/2,5	2,2890	razno	14	76,8	260
124	2x4/4	3,4597	razno	16	118,1	350
125	3x1,5/1,5	2,0337	razno	14	63,4	220
126	3x2,5/2,5	2,6876	razno	15	99,8	290
127	4x1,5/1,5	2,3088	razno	14,2	77,8	250
128	4x2,5/2,5	3,0340	razno	15,3	122,9	340
129	4x4/4	4,5799	razno	17,3	192,0	460
130	4x6/6	6,9868	razno	18,4	285,1	580
131	4x10/10	10,7763	razno	21	483,8	765
132	7x1,5/2,5	3,4611	razno	15,3	127,7	350
133	12x1,5/2,5	5,6582	razno	19,4	196,8	470

FG16OR16			Energetski i signalni 0,6/1 kV fleksibilni kabel izoliran tvrdom EPM-gumom i oplašten PVC-om			
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
172	1x25	5,0372	razno	11,1	240,0	288
173	1x35	6,2916	razno	12,1	336,0	383
174	1x50	8,9660	razno	13,9	480,0	525
175	1x70	12,4972	razno	16,1	672,0	765
176	1x95	16,0306	razno	18	912,0	1.000
177	1x120	21,1362	razno	19	1.152,0	1.230
178	1x150	25,4789	razno	22,3	1.440,0	1.550
179	1x185	31,8966	razno	23,6	1.776,0	1.880
180	1x240	40,8559	razno	26,4	2.304,0	2.410
181	1x300	50,8903	razno	31	2.880,0	3.000
182	1x400	76,7063	razno	35,7	3.840,0	3.960
183	2 x 1,5	1,1861	razno	9,6	28,8	129
184	2 x 2,5	1,6453	razno	10,6	48,0	163
185	2 x 4	2,3477	razno	11,4	76,8	211
186	2 x 6	3,2603	razno	12,9	115,2	268
187	2 x 10	5,2545	razno	14,6	192,0	401
188	2 x 16	8,3531	razno	16,8	336,0	555
189	2 x 25	12,2772	razno	20,3	480,0	865
190	3x1,5	1,2425	razno	10	43,2	144
191	3x2,5	1,7520	razno	11,1	72,0	187
192	3x4	2,6920	razno	12	115,2	246
193	3x6	3,6080	razno	13,6	172,8	331
194	3x10	6,0152	razno	15,4	288,0	484
195	4x1,5	1,6925	razno	11,4	57,6	167
196	4x2,5	2,2881	razno	12	96,0	220
197	4x4	3,5386	razno	13	153,6	306
198	4x6	5,3111	razno	14,6	230,4	397
199	4x10	8,1074	razno	16,8	384,0	600

200	4x16	12,0049	razno	19,4	614,4	888
201	4x25	18,5774	razno	23,6	960,0	1.310
202	3x35+1x25	25,2453	razno	25,1	1.248,0	1.630
203	3x50+1x25	33,5437	razno	29,6	1.680,0	2.110
204	3x70+1x35	46,9634	razno	34,5	2.352,0	3.030
205	3x95+1x50	62,2662	razno	38,9	3.216,0	3.910
206	3x120+1x70	82,9815	razno	42	4.128,0	5.000
207	3x150+1x95	116,9645	razno	49	5.232,0	6.340
208	5x1,5	1,8693	razno	14,5	72,0	260
209	5x2,5	2,7472	razno	15,6	120,0	368
210	5x4	4,0492	razno	17,7	192,0	478
211	5x6	5,8018	razno	19,9	288,0	740
212	5x10	9,8213	razno	23,6	480,0	1.070
213	5x16	14,6357	razno	27,6	768,0	1.620
214	5x25	22,2251	razno	32,1	1.200,0	2.145
215	5x35	31,4328	razno	36,1	1.680,0	3.000
216	7x1,5	3,0980	razno	12,6	100,8	241

PP00-A (E-AYY) (NAYY)			Energetski 0,6/1 kV kabel izoliran i oplašten PVC-om, s Al vodičima			
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Al kg/km	težina kg/km
217	4x16	2,4757	razno	20,1	185,6	780
218	4x25	3,4824	razno	25,3	290,0	890
219	4x35	4,7548	razno	25,6	406,0	1.090
220	4x50	5,8073	razno	28,4	580,0	1.150
221	4x70	7,9811	razno	31,4	812,0	1.451
222	4x95	10,1752	razno	36,9	1.102,0	1.967
223	4x120	13,6115	razno	39,9	1.392,0	2.274
224	4x150	14,9965	razno	46	1.740,0	2.910
225	4x185	20,2216	razno	51,7	2.146,0	3.570
226	4x240	24,6828	razno	57,9	2.784,0	4.380

NFA2X (Elkalex) (X00-A) (X00/0-A)			Samonosivi kabelski snop 0,6/1 kV s XLPE-izolacijom			
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Al kg/km	težina kg/km
227	2x16	0,8943	razno	15	93,0	137
228	4x16	1,7287	razno	18	186,0	270

3. GUMOM IZOLIRANI KABELI

HO5RR-F (GG/J)			Lakom gumom oplašten i izoliran fleksibilni kabel			
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
229	2x1	0,6756	100	7,7	18,2	71
230	2x1,5	0,9936	100	8,5	28,8	110
		0,0000				
231	3x1	0,8413	100	8	30,0	83
232	3x1,5	1,2209	100	9	43,2	125
233	3x2,5	1,8097	100	11	72,0	180
234	4x1,5	1,6216	100	10	57,6	160
235	4x2,5	2,4509	100	12	96,0	240
236	5x1,5	2,0013	100	11,5	72,0	195
237	5x2,5	2,9706	100	13	120,0	290

HO7RN-F (GN/J)			Teškom gumom oplašten i gumom izoliran fleksibilni kabel			
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
238	2x1,5	1,2128	100	9,5	28,8	130
239	3x1,5	1,5571	100	10,5	43,2	150
240	3x2,5	1,9938	100	12,5	72,0	220
241	4x1,5	1,8872	100	11,5	57,6	190
242	4x2,5	2,7395	100	14	96,0	280
243	4x4	3,9268	500	16,5	153,6	390
244	4x6	5,4346	500	17,5	230,4	520
245	4x10	9,5666	500	24	384,0	950
246	4x16	13,7074	500	27	614,4	1.400
247	5x1,5	2,4029	100	12,5	72,0	230
248	5x2,5	3,1202	100	15,5	120,0	340
249	5x4	4,7138	500	17,5	192,0	470
250	5x6	6,8686	500	19	288,0	640
251	5x10	12,1116	500	26	480,0	1.150
252	5x16	17,8072	500	30	768,0	1.700

H01N2-D			Gumom oplašten jednožilni kabel za zavarivanje			
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
253	16	3,9177	razno	10	153,6	220
254	25	5,0958	razno	11,5	240,0	300
255	35	6,8460	razno	13	336,0	410
256	50	9,7866	razno	15	480,0	560
257	70	14,2427	razno	17	672,0	770
258	95	19,5835	razno	19,5	912,0	1.050

4. KABELI BEZ HALOGENA

NHXH FE180/E30			Bezhalogeni energetska i signalni 0,6/1 kV kabel, poboljšanih svojstava za slučaj požara, s očuvanom električnom funkcionalnošću 30 minuta			
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
259	1x16	4,2147	razno	10	153,6	230
260	1x25	6,1281	razno	11	240,0	340
261	1x35	8,1677	razno	12	336,0	440
262	1x50	10,8350	razno	14	480,0	620
263	1x70	14,5703	razno	16	762,0	850
264	1x95	19,1940	razno	18	912,0	1.100
265	1x120	23,7720	razno	19	1.152,0	1.350
266	1x150	28,8624	razno	22	1.440,0	1.650
267	1x185	35,7328	razno	24	1.776,0	2.100
268	1x240	46,6200	razno	27	2.304,0	2.540
269	2x1,5	1,9043	razno	12	28,8	200
270	2x2,5	2,4322	razno	13	48,0	220
271	2x4	2,7942	razno	14	76,8	270
272	2x6	3,9997	razno	15	115,2	380
273	2x10	6,3471	razno	17	192,0	490
274	3x1,5	2,0844	razno	13	43,2	210
275	3x2,5	2,8672	razno	13,5	72,0	230
276	3x4	4,2213	razno	15	115,2	300
277	3x6	5,6860	razno	16	172,8	380
278	3x10	8,6153	razno	18	288,0	500
279	4x1,5	2,6935	razno	14	57,6	280
280	4x2,5	3,6461	razno	15	96,0	350
281	4x4	5,6882	razno	17	153,6	440
282	4x6	7,4963	razno	18	230,4	560
283	4x10	11,5895	razno	20	384,0	760
284	4x16	17,8072	razno	23	614,4	1.100
285	4x25	25,5173	razno	26	960,0	1.600
286	4x35	33,3788	razno	32	1.344,0	2.100
287	4x50	44,2782	razno	33	1.920,0	2.900
288	4x70	59,3114	razno	37	2.688,0	3.900
289	4x95	83,2341	razno	43	3.648,0	5.200
290	4x120	113,1914	razno	47	4.608,0	6.300
291	4x150	137,0066	razno	49	5.760,0	6.450
292	5x1,5	3,7103	razno	15	72,0	330
293	5x2,5	4,6739	razno	17	120,0	410
294	5x4	6,7393	razno	18	192,0	520
295	5x6	8,8624	razno	20	288,0	660
296	5x10	13,6285	razno	21	480,0	950
297	5x16	21,8813	razno	23	768,0	1.300

NHXH FE180/E90			Bezhalogeni energetska i signalni 0,6/1 kV kabel, poboljšanih svojstava za slučaj požara, s očuvanom električnom funkcionalnošću 90 minuta			
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
298	1x16	4,4431	razno	11	153,6	230
299	1x25	6,1898	razno	13	240,0	340
300	1x35	8,2554	razno	14	336,0	440
301	1x50	10,8360	razno	16	480,0	620

302	1x70	16,3538	razno	18	762,0	850
303	1x95	20,9373	razno	20	912,0	1.100
304	1x120	27,3236	razno	21	1.152,0	1.350
305	1x150	31,3409	razno	24	1.440,0	1.650
306	1x185	41,6286	razno	26	1.776,0	2.100
307	1x240	56,5268	razno	29	2.304,0	2.600
308	2x1,5	1,7325	razno	14	28,8	210
309	2x2,5	2,3100	razno	14	48,0	250
310	2x4	3,4944	razno	16	76,8	310
311	2x6	4,8216	razno	17	115,2	380
312	2x10	7,4592	razno	19	192,0	510
313	3x1,5	1,9588	razno	15	43,2	240
314	3x2,5	2,7838	razno	15	72,0	290
315	3x4	3,9375	razno	17	115,2	360
316	3x6	5,6826	razno	18	172,8	450
317	3x10	7,9097	razno	20	288,0	620
318	4x1,5	2,7405	razno	16	57,6	280
319	4x2,5	3,6225	razno	17	96,0	350
320	4x4	5,3188	razno	19	153,6	440
321	4x6	7,0340	razno	20	230,4	560
322	4x10	11,8503	razno	22	384,0	760
323	4x16	17,4090	razno	25	614,4	1.100
324	4x25	27,5520	razno	30	960,0	1.600
325	4x35	35,0123	razno	32	1.344,0	2.100
326	4x50	47,3996	razno	37	1.920,0	2.900
327	4x70	64,8034	razno	41	2.688,0	3.900
328	4x95	88,0425	razno	47	3.648,0	5.200
329	4x120	113,8820	razno	49	4.608,0	6.300
330	4x150	144,4511	razno	51	5.760,0	6.450
331	5x1,5	3,0833	razno	17	72,0	330
332	5x2,5	4,2722	razno	19	120,0	410
333	5x4	6,1761	razno	20	192,0	520
334	5x6	8,4341	razno	22	288,0	660
335	5x10	13,6894	razno	24	480,0	950
336	5x16	20,5708	razno	27	768,0	1.300
337	5x25	30,1739	razno	32	2.400,0	2.000

JE-H(St)H E30-E90			Bezhalogeni instalacijski kabel za industrijsku elektroniku, poboljšanih svojstava za slučaj požara, s očuvanom el. funkcionalnošću između 30 i 90 minuta			
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
338	1x2x0,8	0,6422	razno	5,5	14,0	40
339	2x2x0,8	0,9662	razno	6	21,0	56

5. BAKRENO UŽE

BAKRENO UŽE						
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
340	16	3,0179	razno	4,7	140,0	140
341	25	4,4483	razno	6	219,0	219
342	35	6,2348	razno	6,9	304,0	304
343	50	8,0714	razno	8,2	420,0	420
344	70	12,0608	razno	9,8	600,0	600
345	95	17,0472	razno	11,6	828,0	828
346	120	24,6619	razno	13,1	1.053,0	1.053

6. SILIKONOM IZOLIRANI KABALI I VODIČI

SiF (H05S-K)			Silikonskom gumom izoliran finožični vodič otporan na temp. od -60 do +180°C, kratkotrajno do 250°C			
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
347	0,5	0,1758	100	1,8	4,8	8
348	0,75	0,2537	100	2	7,7	10
349	1	0,3129	100	2,2	9,6	13
350	1,5	0,4000	100	2,6	14,4	20
351	2,5	0,6414	100	3,2	24,0	32
352	4	1,0239	100	3,7	38,4	48
353	6	1,4900	100	4,2	57,6	68

SiHF (H05SS-F)			Silikonskom gumom izoliran i oplašten finožični kabel otporan na temp. od -60 do +180°C, kratkotrajno do 250°C			
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
354	2x0,75	0,8166	100	6,4	14,4	57
355	2x1,5	1,3399	100	7,6	28,8	81
356	3x0,75	1,1254	100	6,8	22,1	67
357	3x1	1,4570	100	7	28,8	82
358	3x1,5	1,7935	100	8	43,2	83
359	3x2,5	2,7909	100	9,7	72,0	125
360	4x1,5	2,3346	100	8,8	57,6	120
361	4x2,5	3,7324	100	10,6	96,0	180
362	5x1,5	3,4446	100	9,6	72,0	145
363	5x2,5	5,3508	100	11,6	120,0	270
364	7x1,5	4,7174	100	11	100,8	200

7. POLIURETANOM IZOLIRANI KABELI

H07BQ-F (NGMH11Yö)			Poliuretanom oplašten fleksibilni energetski kabel za gradilišta			
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
365	2x1,5	1,5579	100	8,2	28,8	86
366	3x1,5	2,0084	100	8,8	43,2	108
367	3x2,5	2,8010	100	10,2	72,0	155
368	3x4	4,3465	razno	11,9	115,2	221
369	4x1,5	2,3933	100	9,7	57,6	136
370	4x2,5	3,7139	100	11,5	96,0	201
371	5x1,5	2,8092	100	10,7	72,0	169
372	5x2,5	5,0211	100	12,8	120,0	252
373	5x4	7,1042	razno	14,9	192,0	359
374	5x6	10,1581	razno	16,9	288,0	490

8. SIGNALNI KABELEI

YSLY			Signalni fleksibilni kabel izoliran i oplašten PVC-om			
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
375	2x0,5	0,3042	razno	4,8	9,6	36
376	3x0,5	0,4364	razno	5	14,4	42
377	4x0,5	0,5244	razno	5,7	19,2	55
378	5x0,5	0,7060	razno	6,2	24,0	65
379	7x0,5	0,9112	razno	6,7	33,6	81
380	10x0,5	1,3636	razno	8,8	48,0	129
381	12x0,5	1,4961	razno	9	57,6	142
382	14x0,5	1,9626	razno	9,5	67,2	158
383	16x0,5	2,1376	razno	10	76,8	176
384	21x0,5	2,9879	razno	11,3	100,8	229
385	25x0,5	3,2510	razno	12,9	120,0	284
386	30x0,5	4,1894	razno	13,5	144,0	330
387	2x0,75	0,3876	razno	5,2	14,4	44
388	3x0,75	0,5365	razno	5,4	21,6	53
389	4x0,75	0,7054	razno	6,2	28,8	68
390	5x0,75	0,8623	razno	6,8	36,0	83
391	6x0,75	1,1640	razno	7	43,2	99
391	7x0,75	1,2021	razno	7,3	50,4	104
392	10x0,75	1,7987	razno	9,6	72,0	165
393	12x0,75	2,0120	razno	9,9	86,4	183
394	16x0,75	2,9540	razno	11,4	115,2	240
395	21x0,75	3,9081	razno	12,8	151,2	303
396	25x0,75	4,5175	razno	14,3	180,0	376
397	34x0,75	6,1699	razno	16,3	244,8	496
398	2x1	0,5055	razno	5,5	19,2	51
399	3x1	0,7173	razno	5,9	28,8	64
400	4x1	0,9121	razno	6,5	38,4	80
401	5x1	1,1411	razno	7,2	48,0	99
402	7x1	1,6276	razno	8	67,2	70
403	10x1	2,1841	razno	11,5	96,0	100
404	12x1	2,6197	razno	10,8	115,2	120
405	14x1	3,0208	razno	11,3	134,4	249
406	16x1	3,6401	razno	12	153,6	286
407	18x1	4,1125	razno	12,7	172,8	316
407	21x1	4,8263	razno	13,6	201,6	369
408	25x1	5,5533	razno	14,5	240,0	456
409	34x1	7,9850	razno	17,4	326,4	591
410	2x1,5	0,6933	razno	6,3	28,8	69
411	3x1,5	0,8836	razno	6,6	43,2	84
412	4x1,5	1,1986	razno	7,3	57,6	105
413	5x1,5	1,4808	razno	8,2	72,0	132
414	6x1,5	2,1464	razno	8,5	72,0	158
414	7x1,5	2,0678	razno	8,9	100,8	168
415	10x1,5	3,1680	razno	11,6	144,0	263
416	12x1,5	3,7437	razno	12	172,8	294
417	14x1,5	4,4679	razno	12,8	201,6	336
418	16x1,5	4,9690	razno	13,5	230,4	377
419	18x1,5	5,7439	razno	14,4	230,4	426
419	21x1,5	6,5540	razno	15,2	302,4	488
420	25x1,5	7,7673	razno	17,5	360,0	612
420	32x1,5	12,2572	razno	18,5	360,0	700

421	34x1,5	11,1532	razno	19,7	360,0	795
422	2x2,5	1,1331	razno	7,6	48,0	106
423	3x2,5	1,5609	razno	8,1	72,0	132
424	4x2,5	2,0794	razno	9	96,0	167
425	5x2,5	2,4951	razno	10,1	120,0	211
426	7x2,5	3,4363	razno	11,2	168,0	273
427	12x2,5	5,2156	razno	15,1	288,0	475
428	3x4	2,4619	razno	9,9	115,2	205
429	4x4	3,2242	razno	11,2	153,6	263
430	5x4	4,2225	razno	12,6	192,0	332
431	4x6	4,8152	razno	12,6	230,4	358
432	5x6	6,3040	razno	14,1	288,0	453
433	4x10	8,2918	razno	16,5	384,0	620
434	5x10	10,9968	razno	18,4	480,0	778

YSLCY			Signalni fleksibilni kabel izoliran PVC-om, sa Cu zaslonom i PVC plaštom			
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
435	2x0,75	0,8378	razno	8,5	41,3	55
436	3x0,75	1,0210	razno	9	49,9	65
437	4x0,75	1,2517	razno	9,5	58,6	80
438	5x0,75	1,5704	razno	10,5	69,1	95
439	7x0,75	1,9623	razno	11,5	96,0	120
440	12x0,75	3,0881	razno	11,5	132,5	190
441	16x0,75	3,8860	razno	11,5	167,0	245
441	25x0,75	6,2630	razno	19,5	268,8	380
442	34x0,75	8,7349	razno	22	342,7	740
443	2x1	0,9484	razno	9	49,0	120
444	3x1	1,2199	razno	9,5	59,5	140
445	4x1	1,5048	razno	10	71,0	160
446	5x1	1,8491	razno	11	84,5	190
447	7x1	2,3822	razno	11,5	107,5	220
448	10x1	3,2760	razno	14	145,9	310
449	12x1	3,7995	razno	14,5	167,0	340
450	14x1	4,5517	razno	16	208,3	400
451	18x1	5,4208	razno	17,5	257,3	500
452	25x1	7,1674	razno	21	339,8	680
453	34x1	10,2734	razno	23,5	439,7	870
454	2x1,5	1,1556	razno	10	62,4	150
455	3x1,5	1,5937	razno	10,5	78,7	170
456	4x1,5	1,9373	razno	11	96,0	200
457	5x1,5	2,4551	razno	12	114,2	230
458	7x1,5	3,2333	razno	14	165,1	330
459	12x1,5	5,2149	razno	17,5	257,3	460
460	18x1,5	7,5151	razno	20	358,1	660
461	25x1,5	11,2203	razno	24,5	508,8	940
462	34x1,5	14,3914	razno	26,5	658,6	1.190
463	2x2,5	1,9326	razno	11	88,3	200
464	3x2,5	2,5819	razno	11,5	114,2	230
465	4x2,5	3,1127	razno	12,5	143,0	270
466	5x2,5	3,9303	razno	13,5	171,8	320
467	7x2,5	5,2572	razno	15,5	243,8	410

468	12x2,5	8,4140	razno	17,4	390,7	410
469	4x4	4,6157	razno	15	229,4	410
470	5x4	5,0746	razno	16,5	276,5	480
		0,0000				
471	4x6	6,4304	razno	17,5	320,6	560
472	5x6	7,6920	razno	19	386,9	650
473	4x10	10,7459	razno	22,5	497,3	920
474	5x10	12,8706	razno	25	635,5	1.150
475	4x16	17,2715	razno	24	776,6	1.220
476	5x16	20,9056	razno	26,5	950,4	1.470

9. TELEKOMUNIKACIJSKI KABELI

J-Y(St)Y			Telekomunikacijski instalacijski kabel s izolacijom i plaštom od PVC-a i zaslonom od Al-folije			
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
477	1x2x0,6	0,2292	razno	5	7,0	30
478	2x2x0,6	0,3431	razno	5,5	13,0	40
479	3x2x0,6	0,5137	razno	6,3	18,0	50
480	4x2x0,6	0,5732	razno	6,8	24,0	60
481	5x2x0,6	0,7601	razno	7,2	30,0	70
482	6x2x0,6	0,8794	razno	7,5	35,0	80
483	10x2x0,6	1,3770	razno	9	58,0	110
484	20x2x0,6	2,6800	razno	11	116,0	190
485	30x2x0,6	4,1802	razno	13	172,0	280
486	50x2x0,6	6,5927	razno	17	286,0	440
487	100x2x0,6	12,7992	razno	23	568,0	850
488	1x2x0,8	0,3330	razno	6	11,0	40
489	2x2x0,8	0,4905	razno	7	21,0	60
490	3x2x0,8	0,7692	razno	8,5	31,0	80
491	4x2x0,8	0,9580	razno	9	41,0	100
492	5x2x0,8	1,2966	razno	9,5	52,0	120
493	6x2x0,8	1,5187	razno	10,5	62,0	140
494	10x2x0,8	2,4087	razno	13	102,0	210
495	20x2x0,8	4,5733	razno	16,5	204,0	380
496	30x2x0,8	7,1373	razno	20	304,0	550

10. VATRODOJAVNI KABELI

JB-Y(St)Y			Vatrodjavni instalacijski kabel s izolacijom i plaštom od PVC-a i zaslonom od Al-folije			
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
497	1x2x0,8	0,3222	razno	6	11,0	40
498	2x2x0,8	0,5280	razno	7	21,0	60
499	4x2x0,8	1,0437	razno	8,5	31,0	80

11. KABELI ZA ELEKTRONIKU

LIYCY			Elektronički fleksibilni kabel izoliran i oplašten PVC-om, s Cu opletom			
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
500	2x0,25	0,4597	razno	3,7	15,0	25
501	3x0,25	0,5672	razno	4,1	18,0	32
502	4x0,25	0,7302	razno	4,7	22,0	40
503	5x0,25	0,9888	razno	5,0	26,0	47
504	6x0,25	0,9836	razno	5,2	30,0	54
505	7x0,25	1,0763	razno	5,4	35,0	56
506	8x0,25	1,3783	razno	6,0	36,0	67
507	10x0,25	1,4898	razno	6,5	44,0	80
508	2x0,34	0,5124	razno	4,6	18,0	33
509	3x0,34	0,8031	razno	5,0	22,0	41
510	4x0,34	0,8901	razno	5,4	26,0	54
511	5x0,34	1,2966	razno	5,8	32,0	60
512	6x0,34	1,4407	razno	6,6	45,0	61
513	7x0,34	1,5321	razno	6,5	40,0	70
514	8x0,34	1,7421	razno	7,2	45,0	90
515	10x0,34	2,2006	razno	8,0	66,0	113
516	2x0,50	0,6065	razno	5,1	24,0	43
517	3x0,50	0,8841	razno	5,4	32,0	54
518	4x0,50	1,0475	razno	6,1	37,0	64
519	5x0,50	1,2623	razno	6,7	55,0	84
520	7x0,50	2,4863	razno	7,2	68,0	102
521	10x0,50	2,6006	razno	8,6	93,0	137
522	12x0,50	2,7964	razno	9,5	117,0	157
523	20x0,50	4,6584	razno	11,6	165,0	258
524	2x0,75	0,6610	razno	5,4	32,0	53
525	3x0,75	0,8792	razno	5,8	40,0	66
526	4x0,75	1,0943	razno	6,4	60,0	78
527	5x0,75	1,5346	razno	7,1	72,0	99
528	7x0,75	1,9674	razno	7,9	92,0	129
529	8x0,75	2,3405	razno	8,6	104,0	145
530	10x0,75	3,0499	razno	11,7	140,0	180
531	12x0,75	3,2826	razno	12	154,0	202
532	2x1,0	0,8678	razno	6,0	50,0	63
533	3x1,0	1,2455	razno	6,4	60,0	82
534	4x1,0	1,5222	razno	6,9	74,0	97
535	5x1,0	1,9534	razno	7,8	89,0	121
536	7x1,0	2,5170	razno	9,2	118,0	158
537	8x1,0	2,8664	razno	10,5	130,0	197
538	10x1,0	3,9458	razno	11,5	145,0	232
539	12x1,0	4,5692	razno	12	168,0	260
540	2x1,5	1,1421	razno	7,1	57,0	84
541	3x1,5	1,6012	razno	7,5	74,0	106
542	4x1,5	2,1487	razno	8,4	92,0	136
543	5x1,5	2,6659	razno	9,5	111,0	178
544	7x1,5	3,4558	razno	10,8	164,0	208

LiYCY-TP			Elektronički fleksibilni kabel izoliran i oplašten PVC-om, s Cu opletom, s uvijenim paricama			
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
545	2x2x0,25	1,2447	razno	5,1	28,0	44
546	3x2x0,25	1,5199	razno	5,7	44,0	56
547	4x2x0,25	1,6467	razno	6,6	57,0	71
548	5x2x0,25	2,4627	razno	7,4	63,0	82
549	8x2x0,25	4,5276	razno	9,0	86,0	124
			razno			
550	2x2x0,34	1,1484	razno	6,6	45,0	66
551	3x2x0,34	1,4355	razno	7,5	54,0	80
552	4x2x0,34	1,7235	razno	8,5	67,0	101
			razno			
553	2x2x0,5	1,2977	razno	7,2	52,0	79
554	3x2x0,5	1,6846	razno	8,6	67,0	106
555	4x2x0,5	2,0057	razno	9,3	83,0	126
556	6x2x0,5	3,3120	razno	12	112,0	186
557	8x2x0,5	4,2027	razno	13,2	132,0	232
558	12x2x0,5	5,5827	razno	15,4	196,0	313
			razno			
559	2x2x0,75	1,4974	razno	7,7	68,0	96
560	3x2x0,75	2,1494	razno	9,3	85,0	132
561	4x2x0,75	2,6446	razno	9,8	124,0	164
562	5x2x0,75	3,3325	razno	11,4	140,0	180
563	6x2x0,75	4,2460	razno	11,6	145,0	251

Kabel za zvučnike (LZF-XY) (Li-YZ)						
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
564	2x0,5 crv/crn	0,2300	100	2,4x4,8	9,6	21
565	2x0,75 crv/crn	0,3308	100	2,5x5,0	14,4	22
566	2x1 crv/crn	0,4297	100	2,6x5,2	19,2	28
567	2x1,5 crv/crn	0,6222	100	2,7x5,6	28,8	37
564	2x2,5 crv/crn	1,0466	100	3,5x7,0	48,0	60
568	2x4 crv/crn	1,6474	100	4,5x9,7	76,8	110
			100			
569	2x1 transp.	0,7471	100	2,5x5,0	19,2	29
568	2x1,5 transp.	1,1863	100	2,7x5,6	28,8	41
570	2x2,5 transp.	1,9603	100	3,5x7,0	48,0	61

12. KOAKSIJALNI KABELI

Koaksijalni kabeli					
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	proizvod
571	RG 6 75Ω	0,2500	100	6,9	
572	RG 59 75Ω MIL C17	0,4053	razno	6,2	
573	SAT 75Ω 6,8mm CL.A	0,3606	razno	6,8	
574	SAT 75Ω 5mm CL.A	0,4053	razno	5	

13. KABELI ZA ALARM

AF Type						
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
575	4 AF22	0,2045	100	3,6	8,5	21
576	6 AF 22	0,2591	100	4,1	12,7	26
577	8 AF 22	0,3630	100	4,5	16,9	33
578	12 AF 22	0,5091	100	5,35	25,3	45
579	4 AF 22 + 2x0,5	0,4041	100	4,65	18,1	35
580	6 AF 22 + 2x0,75	0,5280	100	5,35	27,1	50
581	12 AF 22 + 2x0,75	0,8224	100	6,3	39,7	66

14. KOMPJUTERSKI KABELI

LAN Kabeli						
Br.	dimenzije mm ²	CIJENA eur/m	pakiranje m	promjer mm	Cu kg/km	težina kg/km
582	Cat.5e UTP PVC	0,4034	305, 500	5	16,9	35
583	Cat.5e UTP LSNH	0,4536	500, 1000	5	16,9	35
584	Cat.5e F/UTP PVC	0,7324	500, 1000	5,9	19,0	36
585	Cat.5e F/UTP LSNH	0,7497	500, 1000	5,9	19,0	36
586	Cat.5e S/UTP LSNH	0,9025	500, 1000	6,4	24,2	46
587	Cat.6 U/UTP PVC	0,4749	305, 500	6,2	26,9	39
588	Cat.6 U/UTP LSNH	0,5101	500, 1000	6,2	26,9	39
582	Cat.6 F/UTP PVC	0,8586	500, 1000	6,5	30,2	44
589	Cat.6 F/UTP LSNH	0,8586	500, 1000	6,5	30,2	44
590	Cat.7 S/FTP LSZH	1,0277	500, 1000	7,5	44,0	75
591	Cat.7a S/FTP 1.2GHz	1,6083	500, 1000	8,2	44,0	66

OPĆI UVJETI PRODAJE:

CIJENE:	- bez PDV-a, - važeće na dan 15. TRAVNJA 2024. za kabele na lageru - promjenjive u slučaju promjene cijena Cu/Al za +/- 2%
PARITET:	- FCO - utovareno, skladište " Telur"
ISPORUKA:	- odmah, ili po dogovoru, ovisno o količini i stanju na skladištu
PLAĆANJE:	- po dogovoru

Kontakt:

Centrala	Žitnjak bb	+385 (0) 1 240 66 77
Prodavaonica 1	Av.Dubrava	+385 (0) 1 2862 232
Prodavaonica 2	Vinkovci	+385 (0) 32 308 608
Prodavaonica 3	Rijeka	+385 (0) 51 626 383
Prodavaonica 4	Osijek	+385 (0) 31 531 036
Prodavaonica 5	Ludbreg	+385 (0) 42 810 377
Prodavaonica 7	Karlovac	+385 (0) 47 645 321
Prodavaonica 8	Zadar	+385 99 2554-331
Prodavaonica 9	Poreč	+385 (0) 52 422 289

NAPOMENA:Svi kabele i vodiči su atestirani po propisima Republike Hrvatske